



Clínica y Salud

<https://journals.copmadrid.org/clysa>



Prevalence of Problematic Internet Use among Spanish Adolescents

Julia Pérez-Sáenz^a, Javier Ortuño-Sierra^a, Alicia Pérez-Albéniz^a, Oliver Mason^b, and Eduardo Fonseca-Pedrero^a

^aPrograma Riojano de Investigación en Salud Mental (PRISMA), Universidad de La Rioja, Spain; ^bPsychology Department, University of Surrey, United Kingdom

ARTICLE INFO

Article history:

Received 18 April 2023

Accepted 18 May 2023

Available online 15 September 2023

Keywords:

Problematic Internet Use
Adolescence
Compulsive Internet Use Scale
Prevalence
Normative data

Palabras clave:

Uso Problemático de Internet
Adolescencia
Escala de Uso Compulsivo
de Internet
Puntuaciones típicas

ABSTRACT

Background: The present study aims to analyze the prevalence of the problematic Internet use (PIU) among Spanish adolescents using the Compulsive Internet Use Scale (CIUS) and provide normative data. **Method:** The final sample consisted of a total of 1,977 (M age = 15.70, SD = 1.26, 53.7% female). **Results:** PIU were relatively common with many items seeing endorsement for between 6.5% and 33.1%. There were statistically significant differences both by gender. Females scored significantly more highly on four CIUS dimensions as well as total scores. With regards to age, we found statistically significant differences in preoccupation. No differences were found for the total score by age. **Conclusions:** Early detection strategies should be implemented in order to prevent PIU during adolescence, a critical developmental stage.

Prevalencia del uso problemático de Internet en adolescentes españoles

RESUMEN

Antecedentes: El presente estudio tiene por objeto analizar la prevalencia del uso problemático de Internet (UPI) entre adolescentes españoles mediante la Escala de Uso Compulsivo de Internet (CIUS) y estudiar las puntuaciones típicas de la escala. **Método:** La muestra final estuvo compuesta por un total de 1,977 adolescentes (edad, M = 15.7, DT = 1.26, 53.7% chicas). **Resultados:** El UPI fue relativamente frecuente, con muchos ítems en los cuales la prevalencia se situó entre el 6.5% y el 22.1%. Se encontraron diferencias estadísticamente significativas para el género y la edad. Atendiendo al género, se obtuvieron diferencias estadísticamente significativas en 4 dimensiones de la CIUS y en la puntuación total. Con respecto a la edad, se observaron diferencias estadísticamente en la dimensión preocupación. No se encontraron diferencias para la puntuación total con respecto a la edad. **Conclusiones:** Se deberían utilizar estrategias de detección temprana con el objetivo de prevenir el UPI durante la adolescencia, una etapa crítica del desarrollo.

The Internet is an integral part of modern life, but as its use has grown, it has provided a new environment in which a wide range of problematic behaviors have emerged due to its potentially addictive features (e.g., accessibility, anonymity, convenience, etc.) and/or the online activities themselves (e.g., gaming, gambling, social media use, etc.) (Anderson et al., 2017; Arrivillaga et al., 2021; Pastor et al., 2022; Rial et al., 2018; Rial et al., 2023), especially in the adolescent population (Fumero et al., 2018).

The term Problematic Internet Use (PIU) refers to a pattern of behaviors that includes exaggerated concern about connecting to the Internet being difficult controlling oneself, which affects the normal development of adolescents' daily life, and is used to artificially alleviate their emotional state (Caplan, 2010). It covers a wide range of online behaviors, including excessive social media use, gaming,

gambling, viewing pornography, and impulse buying (Anderson et al., 2017; Fineberg et al., 2018). Terminology and definitions are varied, reflecting several communalities with compulsive, addictive, and more generally problematic behaviors (Anderson et al., 2017). We use the term PIU to be consistent with prior research into excessive and maladaptive internet use behavior (Anderson et al., 2017; Caplan, 2010; Gómez et al., 2017; Pastor et al., 2022; Werling & Grünblatt, 2022).

PIU brings about several mental and physical health consequences (Andrade et al., 2021; Fineberg et al., 2018; Restrepo et al., 2020). Different forms of PIU are associated with mental disorders comorbidities, including affective and anxiety disorders, substance use disorders, loss of productivity, sleep disorders, attention-deficit/hyperactivity disorder (ADHD), and impulse-control disorders

Cite this article as: Pérez-Sáenz, J., Ortuño-Sierra, J., Pérez-Albéniz, A., Mason, O., & Fonseca-Pedrero, E. (2023). Prevalence of problematic internet use among Spanish adolescents. *Clínica y Salud*. Ahead of print. <https://doi.org/10.5093/clysa2023a14>

Funding: This research was funded by a national project awarded by the Ministry of Science and Innovation of the Government of Spain and the Agency and the European Regional Development Fund. (Project "PID2021-127301OB-I00" funded by MCIN / AEI / 10.13039/501100011033 FEDER, UE) and "Ayudas Leonardo a Investigadores Científicos 2019" by BBVA. Correspondence: javier.ortuno@unirioja.es (J. Ortuño-Sierra).

ISSN: 1130-5274/© 2023 Colegio Oficial de la Psicología de Madrid. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

(Ioannidis et al., 2018; Menéndez-García et al., 2020). Studies also suggest that PIU may be associated with increased rates of suicidal behaviors and/or self-harm (Herruzo et al., 2023).

Nevertheless, the assessment of PIU prevalence remains challenging, as there is still significant methodological and cultural heterogeneity. Consequently, the prevalence estimates differ significantly worldwide (Cheng & Li, 2014; Dahl & Bergmark, 2020). The peak time of Internet use onset is when children are in kindergarten and early elementary school (Nakayama et al., 2020), and children's long-term misuse and abuse might lead to PIU in adolescence (Ioannidis et al., 2018). It is a highly prevalent behavior in adolescents, varying between 5% and 15.2% in Europe, and between 2.5% and 26.8% in Asian countries (Kuss et al., 2014; Wang et al., 2016). Although some studies have found no differences with respect to age (Jiménez & Domínguez, 2019; Vila et al., 2018), other studies have found higher prevalence rates among younger minors (Panova et al., 2021) and yet others have found higher PIU towards the end of adolescence and early youth (Arrivillaga et al., 2021; Gómez et al., 2017; Rial et al., 2018; Xin et al., 2018). In a large-scale study among Spanish adolescents, 18.3% of late adolescents reported PIU, whereas 14.6% of early adolescents reported PIU, indicating a significantly higher risk of engaging in PIU in late adolescence (Gómez et al., 2017). Data from the Drug Use in Secondary Education Survey [Encuesta sobre Uso de Drogas en Enseñanzas Secundarias en España - ESTUDES] (Observatorio Español de las Drogas y las Adicciones [OEDA, 2022]) showed that, in 2021, 23.5% of students aged 14-18 were at high risk of compulsive internet use, higher than in 2019 (20%). However, within this range, there was a higher prevalence for 16-year-olds (24.8%) compared to 18-year-olds (23.3%). With regards to gender, some studies have not found differences (Jiménez & Domínguez, 2019; Lukács, 2021; Vila et al., 2018). Other studies show higher PIU among males (Alonso & Romero, 2021; Anderson et al., 2017; Durkee et al., 2016; Kaess et al., 2016; Kuss et al., 2014) or, conversely, among females (Andrade et al., 2021; Ferreiro et al., 2017; Gómez et al., 2017; Rial et al., 2018). In Spain, recent data indicate a higher percentage among females (36.1%) compared to men (29.8%) (Andrade et al., 2021). According to the latest ESTUDES survey (OEDA, 2022), as in previous years, the prevalence was higher among females (28.8%) than males (18.4%). Age is also relevant and may intersect with gender, with younger people typically having problems with gaming and media streaming, males with gaming, gambling, and pornography viewing, and females with social media and buying (Anderson et al., 2017).

The growing research on this topic has led to the development of a lot of scales (Laconi et al., 2014). The Compulsive Internet Use Scale (CIUS) (Meerkerk et al., 2009) is one of the most widely used instruments in research (Anderson et al., 2017; Kuss et al., 2014). This validated tool has demonstrated adequate psychometric properties in terms of reliability and validity evidences in various countries and cultures (López-Fernández et al., 2019; Sarmiento et al., 2020). It is a 14-item self-report on a 5-point Likert scale (0 = *never* to 4 = *very often*) that covers five dimensions: loss of control (items 1, 2, 5, and 9), preoccupation (items 4, 6, and 7), withdrawal symptoms (item 14), coping or mood modification (items 12 and 13), and conflict (items 3, 8, 10, and 11) (Meerkerk et al., 2009). A recent study (López-Fernández et al., 2019) analyzed the psychometric properties of different versions (CIUS-14, CIUS-9, CIUS-7, CIUS-5) developed in eight languages (German, French, English, Finnish, Spanish, Italian, Polish, and Hungarian) and endorsed its use as valid and especially useful for its brevity. Similarly, the 14-item scale in Spanish adolescent population has also demonstrated adequate psychometric properties and a unidimensional structure (Ortuño-Sierra et al., 2022).

Lack of awareness as well as the shame and secrecy that may surround different forms of PIU may constitute important obstacles to recognition, diagnosis, and, ultimately, intervention and prevention. The main goal of this study was to analyze the prevalence of PIU

among Spanish adolescents. Therefore, the specific objectives were a) to study the prevalence of PIU for the total sample; b) to analyze the possible influence of gender and age on the CIUS' dimensions, and c) to obtain the normative data for the total sample and attending to gender identifying lower and higher levels of PIU ranges in a representative sample of Spanish adolescents.

Method

Participants

The study recruited from a population of 15,000 students from La Rioja (northern Spain). For the study we used a stratified random cluster sampling, with the classroom as the sampling unit. Thus, we recruited students from 30 schools, with a total of 98 classrooms. Then we established layers as a function of the geographical zone and the educational stage. As a result, we recruited 1,972 students. Students older than 19 years ($n = 36$) or a high score in the Oviedo Infrequency Scale-Revised (Fonseca-Pedrero et al., 2019) (more than two points) ($n = 146$) were deleted. Therefore, the final sample included 1,790 students, 961 female (53.7%) 816 male (45.6%), and 13 other (0.7%). Age ranged between 14 and 18 years-old and the mean age was 15.70 years-old ($SD = 1.26$). With regards to nationality, a total of 89.4% of participants were from Spain, 2.5% Romania, 1.9% Central and South American countries (Bolivia, Argentina, Colombia, and Ecuador), 1.4% Morocco, 0.8% Pakistan, 0.3% Portuguese and 3.7% from other countries.

Instruments

Compulsive Internet Use Scale (CIUS)

The CIUS (Meerkerk et al., 2009) included 14 items on a Likert scale of 5 options (0 = *never*, 4 = *very often*) to assess PIU. It has showed adequate evidences of validity and good reliability (Cronbach's α between .89 and .90). In addition, other CIUS versions, such as CIUS-9 (Khazaal et al., 2012) or the CIUS-7 and CIUS-5 (Besser et al., 2017), have also shown adequate psychometric properties (López-Fernández et al., 2019; Sarmiento et al., 2020).

Oviedo Infrequency Scale-Revised (INF-OV-R)

The INF-OV-R (Fonseca-Pedrero et al., 2019) is a self-report instrument made up of 12 items in a 5-point Likert- scale (1 = *completely disagree*, 5 = *completely agree*). The INF-OV-R allows detecting those participants who responded in a random, pseudorandom, or dishonest manner. In the present study, students with more than two incorrect responses on the INF-OV-R scale were eliminated from the sample.

Procedure

The questionnaires were administered collectively by computers, in groups of 10 to 30 students during normal school hours. With the aim to standardize the administration process, all the researchers had a protocol that they had to follow before, during, and after conducting the administration of the questionnaires. Participants were informed of the confidentiality of their responses and the voluntary nature of the study. No incentive was provided for their participation. All parents or legal guardian were asked to provide a written informed consent for their child to participate in the study. The present study was approved by the Ethical Committee of Clinical Research of La Rioja (CEImLAR P.I. 337).

Table 1. Descriptive Statistics (means and standard deviations) of the CIUS' Items

How often...	Total (<i>N</i> = 1,777)		Male (<i>n</i> = 816)		Female (<i>n</i> = 961)		14-15 years old (<i>n</i> = 874)		16-18 years old (<i>n</i> = 903)	
	Mean	<i>SD</i>	Mean	<i>SD</i>	Mean	<i>SD</i>	Mean	<i>SD</i>	Mean	<i>SD</i>
1. Do you find it difficult to stop using the Internet when you are online?	1.77	1.02	1.63	1.00	1.89	1.02	1.78	1.01	1.76	1.03
2. Do you continue to use the Internet despite your intention to stop?	1.35	1.14	1.21	1.10	1.48	1.16	1.32	1.13	1.39	1.16
3. Do others (e.g., parents) say you should use the Internet less?	1.81	1.17	1.74	1.13	1.86	1.19	1.87	1.15	1.74	1.19
4. Do you prefer to use the Internet instead of spending time with others (e.g., parents)?	1.1	0.96	1.12	0.99	1.07	0.94	1.09	0.93	1.10	1.00
5. Are you short of sleep because of the Internet?	1.43	1.15	1.38	1.15	1.47	1.15	1.35	1.16	1.50	1.15
6. Do you think about the Internet, even when not online?	1.01	0.93	1.03	0.93	0.99	0.93	1.06	0.93	0.96	0.94
7. Do you look forward to your next Internet session?	1.66	0.96	1.62	0.96	1.69	0.97	1.72	0.97	1.59	0.96
8. Do you think you should use the Internet less often?	1.88	1.11	1.69	1.07	2.04	1.11	1.92	1.10	1.85	1.12
9. Have you unsuccessfully tried to spend less time on the Internet?	1.11	1.02	0.97	0.96	1.23	1.05	1.13	1.03	1.10	1.03
10. Do you rush through your (home) work in order to go on the Internet?	1.26	1.06	1.29	1.04	1.24	1.08	1.31	1.10	1.22	1.03
11. Do you neglect your daily obligations (work, school, or family life) because you prefer to go on the Internet?	1.12	1.04	1.10	1.02	1.14	1.06	1.11	1.05	1.14	1.04
12. Do you go on the Internet when you are feeling down?	1.91	1.19	1.66	1.17	2.12	1.17	1.87	1.22	1.95	1.18
13. Do you use the Internet to escape from your sorrows or get relief from negative feelings?	1.69	1.25	1.49	1.23	1.85	1.25	1.65	1.27	1.72	1.24
14. Do you feel restless, frustrated, or irritated when you cannot use the Internet?	0.87	0.96	0.81	0.925	0.91	0.98	0.89	0.98	0.84	0.94

Note. The CIUS includes 14 items on a Likert scale of 5-point (from 0 = *never* to 4 = *very often*); *SD* = standard deviation.

Data Analysis

First, we calculated the descriptive statistics and the percentage distribution of the CIUS-S' items. Second, with the aim of gathering evidence about the possible influence of gender and age on the expression of PIU, we studied the distribution of the scores attending to these two variables and we examined if there were statistically significant differences. Due to the small number of participants reporting other-gender identity (*n* = 13), only individuals who described themselves as male or female were included in these analyses (*N* = 1,777). A multivariate analysis of variance (MANOVA) was conducted, where gender and age were fixed factor and CIUS' dimensions and total score as dependent variables. An analysis of variance (ANOVA) was performed to detect specific within group differences in those cases where statistically significant differences were found. Finally, we calculated normative

data for the total sample and disaggregated by gender. SPSS 28.0 was used for data analysis.

Results

Descriptive Statistics and Percentage Distribution of the CIUS-S' Items

Table 1 shows the mean and standard deviations of the CIUS' items for the total sample (*N* = 1,777) and according to gender (male and female) and age groups (14-15 years old and 16-18 years old). These age groups correspond to adolescent developmental stages: mid-adolescence (14-15 years) and late-adolescence (16-19 years) (World Health Organization, 2022).

Table 2 shows the numbers and percentages by age and gender who scored 3 = *often* or 4 = *very often* on the CIUS' items. As can

Table 2. Number and Percentage of Participants Who Scored 3 or 4 on the CIUS' Items

How often...	Total (<i>N</i> = 1,777)		Male (<i>n</i> = 816)		Female (<i>n</i> = 961)		14-15 years old (<i>n</i> = 874)		16-18 years old (<i>n</i> = 903)	
	<i>n</i>	%	<i>n</i>	%	<i>n</i>	%	<i>n</i>	%	<i>n</i>	%
1. Do you find it difficult to stop using the Internet when you are online?	412	21.3	154	18.9	258	26.9	195	22.3	214	24.1
2. Do you continue to use the Internet despite your intention to stop?	299	16.8	111	13.6	188	19.5	135	15.4	164	18.2
3. Do others (e.g., parents) say you should use the Internet less?	492	27.7	203	24.9	289	30.0	253	28.9	239	26.4
4. Do you prefer to use the Internet instead of spending time with others (e.g., parents)?	151	8.5	81	9.9	70	7.3	67	7.7	84	9.3
5. Are you short of sleep because of the Internet?	330	18.6	141	17.2	189	19.7	143	16.4	187	20.7
6. Do you think about the Internet, even when not online?	142	7.9	65	8.0	77	8.0	78	8.9	64	7.1
7. Do you look forward to your next Internet session?	316	17.8	141	17.2	175	15.2	167	19.1	149	16.5
8. Do you think you should use the Internet less often?	503	28.3	182	22.3	321	33.4	255	29.1	248	27.5
9. Have you unsuccessfully tried to spend less time on the Internet?	165	9.3	59	7.2	106	11.1	85	9.8	80	8.8
10. Do you rush through your (home) work in order to go on the Internet?	234	13.2	108	13.2	126	13.1	127	14.6	107	11.9
11. Do you neglect your daily obligations (work, school, or family life) because you prefer to go on the Internet?	194	10.9	81	9.9	113	11.7	94	10.8	100	11.1
12. Do you go on the Internet when you are feeling down?	588	33.1	210	25.7	378	39.3	274	31.3	314	34.7
13. Do you use the Internet to escape from your sorrows or get relief from negative feelings?	507	28.6	193	23.7	314	32.7	239	27.4	268	29.7
14. Do you feel restless, frustrated, or irritated when you cannot use the Internet?	115	6.5	47	5.7	68	7.1	60	6.9	55	6.1

Table 3. Descriptive Statistics for the CIUS' Dimensions and Total Score

CIUS' dimensions	Male (<i>n</i> = 816) <i>M</i> (<i>SD</i>)	Female (<i>n</i> = 961) <i>M</i> (<i>SD</i>)	14-15 years old (<i>n</i> = 874) <i>M</i> (<i>SD</i>)	16-18 years old (<i>n</i> = 903) <i>M</i> (<i>SD</i>)
Loss of control	5.18 (0.12)	6.08 (0.11)	5.11 (0.11)	5.74 (0.11)
Conflict	5.82 (0.11)	6.28 (0.10)	6.16 (0.11)	5.94 (0.11)
Preoccupation	3.78 (0.08)	3.75 (0.07)	3.87 (0.08)	3.65 (0.07)
Coping	3.15 (0.08)	3.97 (0.07)	3.45 (0.08)	3.66 (0.07)
Withdrawal symptoms	0.82 (0.03)	0.91 (0.03)	0.88 (0.03)	0.84 (0.03)
Total Score	18.74 (0.34)	20.99 (0.34)	19.89 (0.33)	19.84 (0.32)

Note. *M* = mean; *SD* = standard deviation.

be seen, a total of 33.1% of participants indicated that often or very often, they “go on the Internet when they were feeling down” (Item 12). In addition, a total of 28.6% revealed that often or very often they “use the Internet to escape from sorrows or get relief from negative feelings” (Item 13). Worth noting, the percentage of women who indicated often or very often to these two items was 39.3% and 32.7%, respectively, compared to the 25.7% and 23.7% of men. On the other hand, only 6.5% of participants indicated number 3 and 4 options for the item 14 “you feel restless, frustrated, or irritated when you cannot use the Internet” and 7.9 % revealed that they “thought about the Internet, even when not online” (Item 6). Also, only 8.5% responded to options 3 or 4 to the item 4: “do you prefer to use the Internet instead of spending time with others (e.g., parents)?”.

Table 4. Normative Data and Banding Scores for the CIUS' Total Score by Gender and the Total Sample

	Total Sample (<i>N</i> = 1,777)	Male (<i>n</i> = 816)	Female (<i>n</i> = 961)	
Percentile	Raw Score	Raw Score	Raw Score	Percentile
5	5	4	6	5
10	8	7	9	10
15	10	9	10	15
20	12	11	12	20
25	13	12	14	25
30	14	14	15	30
35	16	15	16	35
40	17	16	18	40
45	18	17	19	45
50	19	18	20	50
55	20	20	22	55
60	22	21	23	60
65	23	22	24	65
70	24-25	23	26	70
75	26-27	24-25	27-28	75
80	28-29	26	29-30	80
85	30-32	29-30	31-33	85
90	33-36	31-34	34-37	90
95	37	35	38	95
99	45	42	49	99
100	52	52	52	100

Note. This table shows the raw scores and percentiles for the cut-off score of 18 for “mild addiction” and 23 for “severe addiction”.

Problematic Internet Use by Gender and Age

A MANOVA was conducted with gender and age as fixed factors and the CIUS' dimensions and CIUS' total score as dependent variables. We used Wilks' lambda to screen for statistically significant differences in all the variables as a whole. As a measure of the effect size, we used partial eta square (η^2). Table 3 shows mean and standard deviation of the dimensions and Total Score by gender and age. Wilks's value λ revealed that there were statistically significant differences both by

gender (Wilks' λ = .945, p < .001) and age (Wilks' λ = .984, p < .001).

With regards to gender, the ANOVA revealed statistically significant differences in loss of control (F = 31.853, p < .001, partial η^2 = .018), conflict (F = 9.053, p = .003, partial η^2 = .005), coping (F = 58.487, p < .001, partial η^2 = .032), withdrawal symptoms (F = 3.881, p = .049, partial η^2 = .02), and CIUS' total score (F = 24.179, p < .001, partial η^2 = .013). No statistical differences were found in preoccupation. With regards to age, the ANOVA values showed statistically significant differences in preoccupation (F = 21.983, p = .036, partial η^2 = .002). No statistical differences were found in the other dimensions, nor in the CIUS' total score.

Normative Data for the Total Sample and Attending to Gender

Once statistically significant differences in the total score were found by gender and not by age, we studied the normative data independently for the CIUS' total score separately considering to male and female. As can be seen in Table 4, the previously proposed cut-off score of 18 for “mild level of addiction” (Guertler et al., 2014) included a total of 55% of the total sample. The suggested cut-off point of 23 for “high level of addiction” (Guertler et al., 2014) included a total of 35% of the sample. By gender, 60% of the females showed a “mild level of addiction” and a total of 40% a “high level of addiction” compared to 50% and 30% of males revealing “mild and high level of addiction”, respectively.

Discussion

Young people use the Internet as an integral part of their daily life with its advantages and disadvantages (Andrade et al., 2021; Arrivillaga et al., 2021; Ferreira et al., 2017; Lukács, 2021; Pastor et al., 2022). Adolescence represents a critical developmental period in which prominent changes occur in biological, social, and cognitive domains (Aritio-Solana et al., 2022; Liu et al., 2022). For this reason, adolescence is considered as a period of life with a particular vulnerability to different psychological and mental health difficulties, including behavioral addictions such as problematic Internet use (PIU) (Kuss et al., 2014). The main goal of the present study was to analyse the prevalence of PIU among the Spanish adolescent population and the possible influence of gender and age in the expression of this phenomenon.

Data found reveal that a total of 33.1% of adolescents used the Internet often or very often when they were feeling down and a total of 28.6% indicated that often or very often, they used Internet to escape from sorrows or get relief from negative feelings. By gender, the percentages of PIU increased among women. This aligns with other studies that have also found the use of the Internet as a tool for escaping reality and coping with negative emotional states (Andrade et al., 2021; Caplan, 2010). This is considered a maladaptive strategy to reduce one's levels of distress and it could inhibit the possibility of developing more adaptive and effective coping strategies in the long term (Spada & Marino, 2017). Moreover, a recent study found that

low emotional regulation is part of the profile of adolescents with PIU (Arrivillaga et al., 2021).

Related to the interference in daily life, 7.9% revealed that often or very often they thought about the Internet, even when not online. A recent study showed that a quarter of Madrid's adolescents between 12 and 16 years of age stated that they had acquired the ability to self-regulate the use of their smartphone and around 15% stated that they had significant difficulties in this regard (Pastor et al., 2022). Nonetheless, another study also found that "failure to stop" was one of the central symptoms in the expression of PIU (Liu et al., 2022). Another relevant aspect found in our study was that a total of 8.5% prefer to use the Internet instead of spending time with others (e.g., parents, friends). Some studies have also found a relationship between PIU and social isolation and a notable decrease in family and peer group relationships (Lukács, 2021). Finally, a 6.5% indicated that they feel restless, frustrated, or irritated when they cannot use the Internet. Although a cause-effect relationship cannot be established (Odgers & Jensen, 2020), levels of emotional well-being and life satisfaction appear to be lower among adolescents with PIU (Alonso & Romero, 2021; Anderson et al., 2017; Andrade et al., 2021; Fineberg et al., 2018; Lukács, 2021). These aspects, as well as the cluster of symptoms of compulsive use like withdrawal and tolerance, are crucial characteristics in the development of PIU during adolescence (Liu et al., 2022).

The present study provided evidence about the influence of gender and age in the expression of PIU. Previous studies have had mixed findings with respect to gender with generally higher scores in males (Alonso & Romero, 2021). However, we found females to score more highly, and no relationships with age. This is consistent with other studies evidencing higher levels of PIU among women (Andrade et al., 2021; Ferreira et al., 2017; Gómez et al., 2017; Rial et al., 2018). For instance, in the Spanish context, the ESTUDES survey (OEDA, 2022) showed higher levels of PIU among females (28.8%) compared to males (18.4%). Moreover, we found statistically significant differences in CIUS' dimensions by gender in loss of control, conflict, coping, withdrawal symptoms, and in the CIUS' total score and by age in preoccupation. Regarding to normative data, our results have shown that there are more females that can be considered at "mild level of addiction" and "high level of addiction". Given the adverse impact on adolescents, it is of great significance to investigate the development of PIU in this population (Dahl & Bergmark, 2020). In addition, it is important to note that addictive behaviors developed during this time are likely to continue into adulthood (Anderson et al., 2017). In response to the emerging public health importance of PIU, the newly created European Problematic Use of the Internet (EU-PIU) Research Network includes among its priorities the following areas for different forms of PIU: reaching a consensus on conceptualization, describing and defining the diagnostic criteria, developing and validating reliable tools, and quantifying the clinical and health economic impact (Fineberg et al., 2018). Recently, literature suggests the importance of school-based prevention programs to address addictive behaviours and other mental health problems related to PIU (Fonseca-Pedrero et al., 2023; González-Roz et al., 2023).

The present study has some limitations. First, it is based on a self-report instrument and there are well-known problems related to this kind of measure. Future works may benefit from the use of experimental data (e.g., behavioral recording, neuroimaging) or studies including parents, teachers, or relatives who could provide valuable information. Second, we conducted a cross-sectional study, but future longitudinal studies could analyze cause-effect relationships. Third, the study focused on a specific Spanish region and more studies analyzing other Spanish regions and countries would be advisable.

Notwithstanding these limitations, PIU is commonly regarded as a potential mental health problem that triggers serious physical and psychological consequences, and it is particularly harmful for

adolescents. This study contributes to clarify the prevalence of the PIU among the Spanish adolescent population. Future research should continue gathering new data about it in other contexts and cultures and introduce new methodologies, as ambulatory assessment (Elosua et al., 2023).

Conflict of Interest

The authors of this article declare no conflict of interest.

References

- Alonso, C., & Romero, E. (2021). Problematic internet use in adolescents: Personal risk factors and emotional and behavioral outcomes. *Revista Iberoamericana de Psicología y Salud*, 12(2), 76-89. <https://doi.org/10.23923/j.rips.2021.01.046>
- Anderson, E. L., Steen, E., & Stavropoulos, V. (2017). Internet use and problematic internet use: A systematic review of longitudinal research trends in adolescence and emergent adulthood. *International Journal of Adolescence and Youth*, 22(4), 430-454. <https://doi.org/10.1080/02673843.2016.1227716>
- Andrade, B., Guadix, I., Rial, A. B., & Fernando, L. (2021). *Estudio sobre el impacto de la tecnología en la adolescencia*. UNICEF España. www.unicef.es/infancia-tecnologia
- Aritio-Solana, R., Fonseca-Pedrero, E., Pérez-Albéniz, A., Mason, O., & Ortuño-Sierra, J. (2022). Neurocognitive functioning in adolescents at risk for mental health problems. *Psicothema*, 34(2), 259-265. <https://doi.org/10.7334/PSICOTHEMA2021.405>
- Arrivillaga, C., Rey, L., & Extremera, N. (2021). Perfil emocional de adolescentes en riesgo de un uso problemático de internet. *Revista de Psicología Clínica Con Niños y Adolescentes*, 8(1), 47-53. <https://doi.org/10.21134/rpcna.2021.08.1.6>
- Besser, B., Rumpf, H. J., Bischof, A., Meerkkerk, G. J., Higuchi, S., & Bischof, G. (2017). Internet-related disorders: Development of the Short Compulsive Internet Use Scale. *Cyberpsychology, Behavior, and Social Networking*, 20(11), 709-717. <https://doi.org/10.1089/cyber.2017.0260>
- Caplan, S. E. (2010). Theory and measurement of generalized problematic internet use: A two-step approach. *Computers in Human Behavior*, 26(5), 1089-1097. <https://doi.org/10.1016/j.chb.2010.03.012>
- Cheng, C., & Li, A. Y. L. (2014). Internet addiction prevalence and quality of (real) life: A meta-analysis of 31 nations across seven world regions. *Cyberpsychology, Behavior and Social Networking*, 17(12), 755-760. <https://doi.org/10.1089/cyber.2014.0317>
- Dahl, D., & Bergmark, K. H. (2020). Persistence in problematic internet use-A systematic review and meta-analysis. *Frontiers in Sociology*, 5, 1-13. <https://doi.org/10.3389/fsoc.2020.00030>
- Durkee, T., Carli, V., Floderus, B., Wasserman, C., Sarchiapone, M., Apter, A., Balazs, J. A., Bobes, J., Brunner, R., Corcoran, P., Cosman, D., Haring, C., Hoven, C. W., Kaess, M., Kahn, J. P., Nemes, B., Postuvan, V., Saiz, P. A., Värnik, P., & Wasserman, D. (2016). Pathological internet use and risk-behaviors among European adolescents. *International Journal of Environmental Research and Public Health*, 13(3), Article 294. <https://doi.org/10.3390/ijerph13030294>
- Elosua, P., Aguado, D., Fonseca-Pedrero, E., Abad, F. J., & Santamaría, P. (2023). New trends in digital technology-based psychological and educational assessment. *Psicothema*, 35(1), 50-57. <https://doi.org/10.7334/psicothema2022.241>
- Ferreiro, S. G., Salgado, P. G., Harris, S. K., Tobío, T. B., & Boubeta, A. R. (2017). Diferencias de sexo en el uso de internet en adolescentes españoles. *Behavioral Psychology/Psicología Conductual*, 25(1), 129-146.
- Fineberg, N. A., Demetrovics, Z., Stein, D. J., Ioannidis, K., Potenza, M. N., Grünblatt, E., Brand, M., Billieux, J., Carmi, I., King, D. L., Grant, J. E., Yücel, M., Dell'Osso, B., Rumpf, H. J., Hall, N., Hollander, E., Goudriaan, A., Menchon, J., Zohar, J., ... Chamberlain, S. R. (2018). Manifesto for a European research network into Problematic usage of the Internet. *European Neuropsychopharmacology*, 28(11), 1232-1246. <https://doi.org/10.1016/j.euroneuro.2018.08.004>
- Fonseca-Pedrero, E., Pérez-Albéniz, A., Al-Halabí, S., Lucas-Molina, B., Ortuño-Sierra, J., Díez-Gómez, A., Pérez-Sáenz, J., Inchausti, F., Valero García, A. V., Gutiérrez García, A., Aritio Solana, R., Ródenas-Perea, G., De Vicente Clemente, M. P., Ciarreta López, A., & Debbané, M. (2023). PSICE project protocol: Evaluation of the unified protocol for transdiagnostic treatment for adolescents with emotional symptoms in school settings. *Clínica y Salud*, 34(1), 15-22. <https://doi.org/10.5093/clysa2023a3>
- Fonseca-Pedrero, E., Pérez-Albéniz, A., Díez-Gómez, A., Ortuño-Sierra, J., & Lucas-Molina, B. (2019). *Escala Oviedo de Infrecuencia de Respuesta-Revisada*. Documento no publicado. Universidad de La Rioja.
- Fumero, A., Marrero, R. J., Voltes, D., & Peñate, W. (2018). Personal and social factors involved in internet addiction among adolescents: A meta-analysis. *Computers in Human Behavior*, 86, 387-400. <https://doi.org/10.1016/j.chb.2018.05.005>

- Gómez, P., Rial, A.B., Braña, T., Golpe, S., & Varela, J. (2017). Screening of problematic internet use among Spanish adolescents: Prevalence and related variables. *Cyberpsychology, Behavior, and Social Networking*, 20(4), 259-267. <https://doi.org/10.1089/cyber.2016.0262>
- González-Roz, A., Martínez-Loredo, V., Maalouf, W., Fernández-Hermida, J. R., & Al-Halabí, S. (2023). Protocol for a trial assessing the efficacy of a universal school-based prevention program for addictive behaviors. *Psicothema*, 35(1), 41-49. <https://doi.org/10.7334/psicothema2022.251>
- Guertler, D., Rumpf, H. J., Bischof, A., Kastirke, N., Petersen, K. U., John, U., & Meyer, C. (2014). Assessment of problematic internet use by the Compulsive Internet Use Scale and the Internet Addiction Test: A sample of problematic and pathological gamblers. *European Addiction Research*, 20(2), 75-81. <https://doi.org/10.1159/000355076>
- Herruzo, C., Sánchez-Guarnido, A. J., Pino, M. J., Lucena, V., Raya, A. F., & Herruzo, F. J. (2023). Suicidal behavior and problematic internet use in college students. *Psicothema*, 35(1), 77-86. <https://doi.org/10.7334/psicothema2022.153>
- Ioannidis, K., Treder, M. S., Chamberlain, S. R., Kiraly, F., Redden, S. A., Stein, D. J., Lochner, C., & Grant, J. E. (2018). Problematic internet use as an age-related multifaceted problem: Evidence from a two-site survey. *Addictive Behaviors*, 81, 157-166. <https://doi.org/10.1016/j.addbeh.2018.02.017>
- Jiménez, M. de la V. M., & Domínguez, S. F. (2019). Uso problemático de internet en adolescentes españoles y su relación con autoestima e impulsividad. *Avances en Psicología Latinoamericana*, 37(1), 103-119. <https://doi.org/10.12804/revistas.urosario.edu.co/apl/a.5029>
- Kaess, M., Parzer, P., Brunner, R., Koenig, J., Durkee, T., Carli, V., Wasserman, C., Hoven, C. W., Sarchiapone, M., Bobes, J., Cosman, D., Várník, A., Resch, F., & Wasserman, D. (2016). Pathological internet use is on the rise among European adolescents. *Journal of Adolescent Health*, 59(2), 236-239. <https://doi.org/10.1016/j.jadohealth.2016.04.009>
- Khazaal, Y., Chatton, A., Horn, A., Achab, S., Thorens, G., Zullino, D., & Billieux, J. (2012). French validation of the Compulsive Internet Use Scale (CIUS). *Psychiatric Quarterly*, 83(4), 397-405. <https://doi.org/10.1007/s11126-012-9210-x>
- Kuss, D., Griffiths, M., Karila, L., & Billieux, J. (2014). Internet addiction: A systematic review of epidemiological research for the last decade. *Current Pharmaceutical Design*, 20(25), 4026-4052. <https://doi.org/10.2174/13816128113199990617>
- Laconi, S., Rodgers, R. F., & Chabrol, H. (2014). The measurement of Internet addiction: A critical review of existing scales and their psychometric properties. *Computers in Human Behavior*, 41, 190-202. <https://doi.org/10.1016/j.chb.2014.09.026>
- Liu, S., Xu, B., Zhang, D., Tian, Y., & Wu, X. (2022). Core symptoms and symptom relationships of problematic internet use across early, middle, and late adolescence: A network analysis. *Computers in Human Behavior*, 128, Article 107090. <https://doi.org/10.1016/j.chb.2021.107090>
- López-Fernández, O., Griffiths, M. D., Kuss, D. J., Dawes, C., Pontes, H. M., Justice, L., Rumpf, H. J., Bischof, A., Gessler, A. K., Suryani, E., Männikkö, N., Kääriäinen, M., Romo, L., Morvan, Y., Kern, L., Graziani, P., Rousseau, A., Hormes, J. M., Schimmenti, A., ... Billieux, J. (2019). Cross-cultural validation of the Compulsive Internet Use Scale in four forms and eight languages. *Cyberpsychology, Behavior, and Social Networking*, 22(7), 451-464. <https://doi.org/10.1089/cyber.2018.0731>
- Lukács, A. (2021). Predictors of severe problematic internet use in adolescent students. *Contemporary Educational Technology*, 13(4), Article 315. <https://doi.org/10.30935/CEDTECH/10989>
- Meerkerk, G. J., Van Den Eijnden, R. J. J. M., Vermulst, A. A., & Garretsen, H. F. L. (2009). The Compulsive Internet Use Scale (CIUS): Some psychometric properties. *Cyberpsychology and Behavior*, 12(1), 1-6. <https://doi.org/10.1089/cpb.2008.0181>
- Menéndez-García, A., Jiménez-Arroyo, A., Rodrigo-Yanguas, M., Marin-Vila, M., Sánchez-Sánchez, F., Roman-Riechmann, E., & Blasco-Fontecilla, H. (2020). Adicción a internet, videojuegos y teléfonos móviles en niños y adolescentes: un estudio de casos y controles. *Adicciones*, 34(3), Article 208. <https://doi.org/10.20882/adicciones.1469>
- Nakayama, H., Ueno, F., Mihara, S., Kitayuguchi, T., & Higuchi, S. (2020). Relationship between problematic internet use and age at initial weekly internet use. *Journal of Behavioral Addictions*, 9(1), 129-139. <https://doi.org/10.1556/2006.2020.00009>
- Observatorio Español de las Drogas y las Adicciones (OEDA). (2022). *Informe sobre trastornos comportamentales. Juego con dinero, uso de videojuegos y uso compulsivo de internet en las encuestas de drogas y otras adicciones en España EDADES y ESTUDES*. Ministerio de Sanidad. Delegación del Gobierno para el Plan Nacional sobre Drogas.
- Odgers, C. L., & Jensen, M. R. (2020). Annual research review. Adolescent mental health in the digital age: Facts, fears, and future directions. *Journal of Child Psychology and Psychiatry*, 61(3), 336-348. <https://doi.org/10.1111/JCPP.13190>
- Ortuno-Sierra, J., Pérez-Sáenz, J., Mason, O., Pérez de Albéniz, A., Fonseca-Pedrero, E., & Fonseca Pedrero, E. (2022). Uso problemático de internet en adolescentes: validación en español de la Escala de Uso Compulsivo de Internet (CIUS). *Adicciones*, 0(0). <https://doi.org/10.20882/adicciones.1801>
- Panova, T., Carbonell, X., Chamarro, A., & Puerta-Cortés, D. X. (2021). La investigación del Internet Addiction Test desde una perspectiva intercultural: España, Estados Unidos y Colombia. *Adicciones*, 33(4), 307-318. <https://doi.org/10.20882/adicciones.1345>
- Pastor, Y., García-Jiménez, A., & López-de-Ayala, M. C. (2022). Estrategias de regulación de uso del smartphone y uso problemático de internet en la adolescencia. *Anales de Psicología*, 38(2), 269-277. <https://doi.org/10.6018/analesps.461771>
- Restrepo, A., Scheininger, T., Clucas, J., Alexander, L., Salum, G. A., Georgiades, K., Paksarian, D., Merikangas, K. R., & Milham, M. P. (2020). Problematic internet use in children and adolescents: Associations with psychiatric disorders and impairment. *BMC Psychiatry*, 20(1), 1-11. <https://doi.org/10.21203/rs.2.17146/v2>
- Rial, A. B., Golpe, S., Isorna, M., Braña, T., & Gómez, P. (2018). Minors and problematic Internet use: Evidence for better prevention. *Computers in Human Behavior*, 87, 140-145. <https://doi.org/10.1016/j.chb.2018.05.030>
- Rial, A., Mora-Salgueiro, J., Feijóo, S., Liñares, D., & Braña, T. (2023). Underage problem gambling: With whom, where and why. *Psicothema*, 35(2), 140-148. <https://doi.org/10.7334/psicothema2022.238>
- Sarmiento, A., Zych, I., Herrera-López, M., Delgado Sánchez, U., & Oksanen, A. (2020). Psychometric properties of the Compulsive Internet Use Scale in Spain, Colombia, and Mexico. *Cyberpsychology, Behavior, and Social Networking*, 24(2), 108-116. <https://doi.org/10.1089/cyber.2020.0046>
- Spada, M. M., & Marino, C. (2017). Metacognitions and emotion regulation as predictors of problematic internet use in adolescents. *Clinic Neuropsychiatry*, 14(1), 59-63.
- Vila, M. M., Carballo, J. L., & Coloma-Carmona, A. (2018). Rendimiento académico y cognitivo en el uso problemático de internet. *Adicciones*, 30(2), 101-110. <https://doi.org/10.20882/adicciones.844>
- Wang, Y., Wu, A. M. S., & Lau, J. T. F. (2016). The health belief model and number of peers with internet addiction as interrelated factors of Internet addiction among secondary school students in Hong Kong. *BMC Public Health*, 16(1), 1-13. <https://doi.org/10.1186/s12889-016-2947-7>
- Werling, A. M., & Grünblatt, E. (2022). A review of the genetic basis of problematic Internet use. *Current Opinion in Behavioral Sciences*, 46, Article 101149. <https://doi.org/10.1016/j.cobeha.2022.101149>
- World Health Organization. (2022). *Salud del adolescente*. https://www.who.int/es/health-topics/adolescent-health#tab=tab_1
- Xin, M., Xing, J., Pengfei, W., Houru, L., Mengcheng, W., & Hong, Z. (2018). Online activities, prevalence of Internet addiction and risk factors related to family and school among adolescents in China. *Addictive Behaviors Reports*, 7, 14-18. <https://doi.org/10.1016/j.ABREP.2017.10.003>