



The European Journal of Psychology Applied to Legal Context

<https://journals.copmadrid.org/ejpalc>



Assessing Risk and Protective Factors in Clinical and Judicial Child-to-Parent Violence Cases

Ismael Loinaz^a and Ava Ma de Sousa^b

^aUniversity of Barcelona, Spain; ^bUniversity of Toronto, Canada

ARTICLE INFO

Article history:

Received 6 March 2019

Accepted 7 November 2019

Keywords:

Child-to-parent violence
Violence risk assessment
Clinical context
Judicial context

ABSTRACT

Child-to-parent violence takes different forms (physical, psychological or economic) and can be addressed in the judicial system or in clinical practice. The current paper compares 61 clinical and 30 judicialized cases that were evaluated using the Child-to-Parent Violence Risk assessment tool (CPVR). Results showed a higher prevalence of risk factors in the judicial sample. This group of aggressors had worse profiles of violence (bidirectionality of the parent/child violence, violence other than CPV, and more CPV complaints), more psychological issues (low frustration tolerance, little anger management, narcissism, and violent attitudes) and, most notably, more dysfunctional families (violence between parents, cohabitation problems, inversion of the hierarchy, non-violent conflicts, and even criminal history of the parents). Logistic regression showed that narcissism, attitudes justifying violence, violence between parents, and problems of parents themselves (such mental disorders or drug abuse) allowed for correct classification of 89.4% of cases. Total CPVR scores differed between groups (25.8 vs. 14.2), and classification was good for both type of group (AUC = .830) and injuries to mother (AUC = .764). A cut-off score between 22 and 23 showed the best results in prediction of group and injuries to mother. Utility of the CPVR, and next steps in its development are discussed.

La evaluación de factores de riesgo y de protección en casos clínicos y judiciales de violencia filio-parental

RESUMEN

La Violencia Filio-Parental (VFP) puede manifestarse de distintas formas (física, psicológica o económica) y su abordaje puede hacerse desde el sistema judicial o desde la práctica clínica. El presente estudio compara 61 casos clínicos (no judicializados) y 30 judicializados que fueron evaluados con la Guía para la Valoración del Riesgo de Violencia Filio-Parental (RVFP). Los resultados mostraron una mayor prevalencia de los factores de riesgo en la muestra judicial, con un perfil de violencia peor (más bidireccionalidad, más violencia distinta a la VFP y más denuncias por VFP), más complicaciones psicológicas en los agresores (baja tolerancia a la frustración, poco control de la ira, narcisismo y actitudes violentas) y, en especial, un perfil familiar más disfuncional (violencia entre los padres, problemas de convivencia, inversión de jerarquía, conflictos e incluso antecedentes delictivos en los padres). Una regresión logística puso de manifiesto que el narcisismo, las actitudes que justifican la violencia, la violencia entre los progenitores y los problemas de los padres (como trastorno mental o abuso de drogas) permitían clasificar correctamente al 89.4% de los casos. El grupo midió diferencias en la puntuación en la Guía RVFP (25.8 vs. 14.2) y la clasificación fue buena para el tipo de grupo (AUC = .830) y lesiones a la madre (AUC = .764). Un punto de corte entre 22 y 23 mostró los mejores resultados en la predicción del grupo y las lesiones a la madre. Se discute la utilidad de la RVFP y los siguientes pasos en su desarrollo.

Child-to-parent violence (CPV) is a subtype of family or domestic violence, also referred to as “parental abuse”, “youth violence toward parents”, or “adolescent aggression towards parents”. In fact, the lack of agreement with respect to operational definitions has been pointed out in previous research (Kennedy, Edmonds, Dann, & Burnett, 2010). In 2017, the Spanish Society for the Study of Child-to-Parent Violence

(SEVIFIP) published a proposal of an agreed-upon definition (Pereira et al., 2017) based on available works:

Repeated behavior of physical, psychological (verbal or nonverbal) or economic violence, directed toward the parents or caregivers. Excluded are one-off aggressions that occur in a state of diminished consciousness disappearing upon

Cite this article as: Loinaz, I. & de Sousa, A. M. (2020). Assessing risk and protective factors in clinical and judicial child-to-parent violence cases. *The European Journal of Psychology Applied to Legal Context*, 12, 43-51. <https://doi.org/10.5093/ejpalc2020a5>

Correspondence: iloinaz@ub.edu (I. Loinaz).

ISSN: 1889-1861/© 2020 Colegio Oficial de la Psicología de Madrid. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

recovery (intoxications, withdrawal syndromes, delirious states or hallucinations), those caused by (transient or stable) psychological disorders (autism and severe mental deficiency) and parricide without history of previous aggressions (p. 220).

Different forms of domestic/family violence, like CPV and elder abuse were neglected in the literature until some years ago (Walsh & Krienert, 2007). In recent years, interest in this area has grown considerably and, therefore, statistics have become available. Estimates of CPV prevalence are difficult to calculate, given that most cases do not involve an arrest or police record. Kennedy et al. (2010) explained how CPV may not appear to be a significant problem compared to other types of violence, but there is need for consideration of the fact that such violence is often kept private (since parents tend to be reluctant to report their children). Because the issue involves a son/daughter causing harm to their caretaker, who is meant to be in charge, there is often stigma and blame attached to the victims. Moreover, sometimes the parent is seen as being responsible for the situation (Walsh & Krienert, 2007), increasing felt sense of shame. This leads to a reluctance to report until the problem becomes unbearable, or a lack of reporting altogether, limiting the data on what is known about CPV. International rates on CPV are highly variable, making it difficult to determine the extent of this type of violence (O'Hara, Duchscher, Beck, & Lawrence, 2017; Simmons, McEwan, Purcell, & Ogloff, 2018). Global estimates range from 5 to 18% for physical forms of CPV between different samples (Calvete, Orue, & Sampedro, 2011; Holt, 2012; Kennair & Mellor, 2007; Pagani et al., 2009). Psychological violence is much more common, making up over 90% of CPV cases if less severe forms are included. The more restrictive the definition and the more severe the behaviour, the less prevalent it becomes. Analysing specific samples of CPV offenders, clinical samples are more similar to the general population regarding their violence (i.e., Calvete, Orue, & Gámez-Guadix, 2013; Nock & Kazdin, 2002) and forensic/judicial samples have the highest prevalence of physical and psychological violence (i.e., Ibabe, Arnoso, & Elgorriaga, 2014a). In Spain, for instance, there are an average of 4,600 cases per year reported in the judicial system since 2007 according to State Attorney's Office statistics (Loinaz, Andrés-Pueyo, & Pereira, 2017), representing cases that have reached breaking points, the final step in this type of violence.

Research on CPV: What do We Know?

CPV appears to most commonly occur during the adolescence of the perpetrator, though it is not limited to minors (González-Álvarez, Gesteira, Fernández-Arias, & García-Vera, 2010; Holt, 2016; Moulds, Day, Mildred, Miller, & Casey, 2016; Walsh & Krienert, 2009). Research into CPV has shown conflicting information on gender of the perpetrator, although much research suggests there to be more male perpetrators (Ibabe, et al., 2014a; Nock & Kazdin, 2002; Routt & Anderson, 2011; Walsh & Krienert, 2007). Yet, these numbers do not represent every instance of CPV, but rather only those that are reported. Thus, many social factors and pressures influence the prevalence rates accessible to researchers, such as possible shame from fathers feeling a subjective loss of control (Walsh & Krienert, 2007), as well as the perception that a boy is more of a serious threat than a girl (Ibabe & Jaureguizar, 2010). There is thus a need for further research before most common gender of perpetrator can be determined. Among offenders, girls tend to commit more psychological abuse (e.g., Beckmann, Bergmann, Fischer, & Mößle, in press; Rosado, Rico, & Cantón-Cortés, 2017), while boys tend to physically assault more than girls, both in the clinical and judicial context (Boxer et al., 2009; Routt & Anderson, 2011).

Some studies have analyzed specific risk factors of CPV (Beckmann et al., in press; Ibabe, Jaureguizar, & Bentler, 2013; Pagani et al., 2004, 2009), and certain factors have been found repeatedly among

offenders and their families. Perpetrators often face mental health issues, such as depression, ADHD or antisocial personality disorders (Castañeda, Garrido-Fernández, & Lanzarote, 2012; Coogan, 2014; Ibabe & Jaureguizar, 2010; Routt & Anderson, 2011). Compared to young offenders who had committed crimes other than CPV, CPV offenders were found to have worse psychopathological profiles, with 30% having received a clinical diagnosis (most commonly ADHD), while no clinical diagnoses were found in the non CPV sample (Contreras & Cano, 2015).

Other individual factors related to the perpetrator such as lower self-esteem (Calvete et al., 2011; Ibabe et al., 2014a; Ibabe, Arnoso, & Elgorriaga, 2014b; Pereira & Bertino, 2010), lower empathy (Castañeda et al., 2012; Ibabe & Jaureguizar, 2010), higher impulsivity (Calvete et al., 2011; Ibabe et al., 2014a; Pereira & Bertino, 2010), and lower frustration tolerance (Kennair & Mellor, 2007; Nock & Kazdin, 2002) have been linked to CPV offenders, both compared to youth of normal profiles as well as young offenders. Tied in with mental health and individual profile characteristics are issues of substance abuse (Calvete et al., 2011; Castañeda et al., 2012; Ibabe et al., 2013; Routt & Anderson, 2011), which are found at even higher rates in CPV cases compared to other young offenders (Ibabe & Jaureguizar, 2010; Ibabe, Jaureguizar, & Díaz, 2009).

External risk factors of CPV are behavioral and academic problems in school (González-Álvarez et al., 2010; Ibabe & Jaureguizar, 2010). Within the context of school also lies the issue of bullying victimization, which research suggests might account for origins of aggressive behavior (Cottrell & Monk, 2004). This idea of aggression leading to further aggression is an important line of discussion in CPV research. Though CPV offenders seem to display more aggression outside the home than other young offenders (Ibabe et al., 2014a), the cycle of violence is especially important in the context of the home.

While CPV perpetrators are often referred to as offenders, and their parents as victims, sometimes the roles are also reversed, and the child can him/herself be the victim of violence at the hands of their parents. This bidirectionality has been noted as a possible explanatory factor (Del Hoyo-Bilbao, Gámez-Guadix, & Calvete, 2018). Indeed, direct exposure to violence in the home, as well as indirect exposure (witnessing violence between parents or between other family members) have been correlated with CPV (Boxer, Gullan, & Mahoney, 2009; Contreras & Cano, 2016; Gámez-Guadix, Jaureguizar, Almendros, & Carrobes, 2012; Routt & Anderson, 2011). A recent meta-analytic review (Gallego, Novo, Fariña, & Arce, 2019) found that the risk of developing CPV among children victimized by their parents increased 71% as compared to non-victimized children. This supports the idea that both direct victimization of children as well as exposure to vicarious violence are significant predictors of CPV. Nevertheless, a comparison between CPV offenders and non-CPV youth offenders showed that while both were more likely than the average child to be exposed to violence in the home, the prevalence of CPV offenders who witnessed violence in the home was even greater than in non-CPV offenders, demonstrating the strong influence of family violence on CPV cases (Contreras & Cano, 2016).

Problems in the home relating to CPV go beyond family violence. Problematic education styles often occur, with the parent unable to establish clear norms (Aroca, Miró, & Bellver, 2013; Castañeda et al., 2012). Possibly related to this issue of instability is the composition of families wherein this type of violence occurs. A disproportionate amount of single-parent families faces these issues (Ibabe & Jaureguizar, 2010), and Contreras and Cano's (2014a) found that CPV offenders were more likely than other young offenders to come from single parent homes. The correlation between family composition and CPV might also be mediated by the lack of support and, as mentioned before, instability sometimes accompanying these situations. Indeed, some studies have found no correlation between family composition and CPV vulnerability (Beckmann et al., in press; Pagani et al., 2004). There are conflicting reports as to the link between the socio-economic status of the family and CPV. While some studies suggest lower socio-economic status families to

be more vulnerable (Condry & Miles, 2014; Cottrell & Monk, 2004), others find no correlation (Calvete et al., 2011), while others still see the opposite effect (Kennair & Mellor, 2007).

In the CPV literature, few studies have analyzed protective factors. Those that have have noted the importance of self-control of the child, paternal warmth (Beckmann et al., in press), and parental affection and communication (Calvete, Gámez-Guadix, & Orue, 2014; Ibabe & Bentler, 2016). There are other general protective factors for youth offences, some shared with adult violence cases and others more specific to youth offenders, such as parental, peer, and community support, which are included in assessment tools such SAPHOF-YV (see de Vries Robbé & Willis, 2017), a structured guide for the assessment of protective factors (during violence risk assessment) in youth.

The Assessment of CPV

Holt (2012), in a critical review of research on CPV, argued that the field is a long way from understanding the relevance of specific risk factors in particular populations and from understanding whether treatment programs, or specific elements of treatment, facilitate changes in violence patterns. Recently, there have been some proposals of new assessment tools for CPV, such as the Child-to-Mother Violence Scale (Edenborough, Wilkes, Jackson, & Mannix, 2011), designed to capture the prevalence, experience, and nature of child-to-mother violence, and the Intra-family Violence Scale (Ibabe et al., 2013), with nine items designed to assess the presence of violence toward parents, parent-to-child violence and between-parent violence. Other recent tools are the Child-to-Parent Aggression Questionnaire (Calvete et al., 2016), with a revised version including reasons for the abuse (Calvete & Orue, 2016), and the Child-to-Parent Violence Questionnaire (Contreras, Bustos-Navarrete, & Cano-Lozano, 2019), focused on type and prevalence of violence committed, as well as self-reported reasons for the acts by the aggressors.

To our knowledge, the one used in the present research is the only specific violence risk assessment tool for CPV cases (see Loinaz et al., 2017). Moreover, youth violence is commonly analyzed as a homogeneous problem and risk assessment tools for youth are mostly designed for antisocial offenders or common crimes. CPV has not yet been looked at from this methodological viewpoint, and it therefore demands the use of a tool better tailored to this specific type of violence and surrounding circumstances.

Current Work

The present work sought to compare two samples of youth implicated in CPV (clinical and judicial), applying a recently developed violence risk assessment tool. The main question was to examine what distinguishes these two populations according to risk factors, pushing certain parents choose to have their children treated in a clinical context, while others report the offenses suffered to the justice system. It was hypothesized that families who chose clinical recourse would be less problematic, more involved with the child in question, and possibly have suffered less serious violence. It was expected, on the other hand, that judicial cases would be more serious (perhaps even including a history of other kinds of crime) or would have offenders coming from families with fewer resources, more legal problems, or who were less involved in their child's treatment.

Method

Sample

The sample was composed of 91 cases, 67% coming from clinical centers (11 from Euskarri, and 49 from Amalgama7) and 33% coming from judicial contexts/measures (22 from the SMAT of Barcelona, and

9 from *Fundación Pioneros* [Pioneers Foundation]). Those in clinical contexts were there in a private capacity, paying for service (without a judicial statement requiring compulsory treatment). Those in judicial contexts were there to be assessed for a CPV crime or doing a program serving a sentence (either court ordered or recommended). The average age at the time of assessment was 17.07 ($SD = 2.40$, range = 13–28), 61.5% ($n = 56$) were men, and 93.4% ($n = 85$) were of Spanish nationality. Regarding the comparison of the groups, there were significantly, $\chi^2(1, 91) = 6.27$, $p = .012$, more girls in the clinical group (56.7% vs. 29.5%). The clinical group was also significantly older, $t(87) = 2.43$, $p = .003$, than the judicial group: 17.50 years of age ($SD = 2.76$) vs. 16.23 years ($SD = 1.07$). There were no significant differences in nationality, with a majority of Spanish participants in both samples (91.8% in clinical sample, and 96.7% in the judicial sample).

Materials

The version 2.1 of the Child-to-Parent Violence Risk assessment tool (CPVR; RVFP in its original name) was used, which has been in the process of validation since 2014 (Loinaz et al., 2017). The tool was created following current international standards (see Douglas et al., 2014), consisting of three main steps: 1) the review of studies and available tools from which a list of relevant risk factors was obtained; 2) gathering professional feedback regarding risk factors and the tool proposal; and 3) a pilot application before the publication of the instrument. The tool is composed of 24 risk factors organized into four blocks (type of violence, psychological characteristics of the perpetrator, adaptation of the perpetrator, and family factors), and six protective factors (see Table 1). These factors are coded as present (Yes), partially present (?) or absent (No) for the present time (during the last year) and for the past. Moreover, the risk assessment tool includes a first section in the worksheet with more than 20 possible risk factors (i.e., single-parent family, adoption, academic situation, members of the family, immigration, parents' criminal histories, death of a close family member, cause of the assessment, prior convictions, type of violence, type of victim, and so on).

Procedure

All the cases were directly assessed by professionals belonging to each center and were statistically analyzed with anonymity maintained. The assessments were part of the usual procedure of each service, therefore not influencing the analyzed cases in any way. For the samples of Amalgama7 and SMAT, the risk assessment tool was coded from case files by forensic psychology Master's students (see Coding section). In the case of *Euskarri* and *Pioneros*, professionals of the centers assessed the cases and also coded the tool. The cases were added together and put into a database as part of the validation process of the instrument.

Coding

The coding of the tool was carried out following a detailed guide. This included the definitions of the items, a worksheet with a summarized explanation of when a factor should be considered present, and a worksheet in a Word file in which the presence of the factors both past and present were recorded, with the decision explained with transcription of information from records (useful information to verify the reliability of the coding).

The reliability of the coding of each item of the CPVR regarding available file information was analyzed with true kappa. Researchers (not clinicians) were trained with other cases that were not part of the present study, discussing discrepancies in coding until consensus was reached. True kappa is calculated like Cohen's kappa but verifying the correspondence between the sources used for coding (Vilariño, Arce,

Table 1. Prevalence of Risk and Protective Factors

	Clinical (<i>n</i> = 61)	Judicial (<i>n</i> = 30)			
Risk factor (present)	% (<i>n</i>)	% (<i>n</i>)	χ^2	<i>p</i>	<i>OR</i>
Violence					
1. Bidirectionality	8.2% (5)	33.3% (10)	9.230	.002	5.600
2. Violence other than CPV	21.3% (13)	46.7% (14)	6.196	.013	3.231
3. CPV complaints	4.9% (3)	75.9% (22)	49.312	.000	60.762
4. Escalation	57.4% (35)	43.3% (13)	1.591	.207	-
5. Bullying victimization	5.4% (3)	12.5% (3)	1.399	.349	-
Perpetrator psychological characteristics					
6. Psychopathological symptomology	71.2% (42)	43.3% (13)	6.535	.011	0.310
7. Empathy problems	33.9% (20)	63.3% (19)	6.999	.008	3.368
8. Self-esteem problems	61.0% (36)	70.0% (21)	0.697	.404	-
9. Low frustration tolerance	60.7% (37)	86.7% (26)	6.387	.011	4.216
10. Substance abuse	55.7% (34)	73.3% (22)	2.631	.105	-
11. Impulsivity	70.5% (43)	83.3% (25)	1.756	.185	-
12. Anger management issues	47.5% (29)	82.8% (24)	10.070	.002	5.297
13. Narcissism and grandiose thoughts	8.5% (5)	50.0% (14)	19.182	.000	10.800
14. Attitudes or beliefs justifying violence	15.5% (9)	66.7% (20)	23.413	.000	10.889
Adaptation					
15. Academic difficulties	77.0% (47)	83.3% (25)	0.481	.488	-
16. Antisocial behavior	45.9% (28)	48.3% (14)	0.045	.833	-
17. Antisocial peers	34.4% (20)	56.7% (17)	4.090	.043	2.491
18. Failure in previous interventions	52.5% (31)	82.8% (24)	7.574	.005	4.335
Family factors					
19. Violence between parents or guardians	4.9% (3)	37.9% (11)	16.308	.000	11.815
20. Cohabitation problems other than CPV	31.1% (19)	80.0% (24)	19.256	.000	8.442
21. Problematic education style	56.7% (33)	93.3% (28)	12.546	.000	10.706
22. Inversion of the hierarchy	33.3% (20)	65.5% (19)	8.226	.004	3.800
23. Personal problems of parents	14.8% (9)	58.6% (17)	18.411	.000	8.185
24. Non-violent conflicts between parents	25.0% (15)	80.0% (24)	24.638	.000	12.000
Protective factors					
25. Motivation to change	61.4% (35)	48.3% (14)	1.351	.245	-
26. Family involvement in therapy	76.7% (46)	32.1% (9)	16.147	.000	0.144
27. Future plans	45.6% (26)	38.5% (10)	0.372	.542	-
28. Social support	28.3% (17)	60.0% (18)	8.439	.004	3.749
29. Family support	55.0% (33)	53.6% (15)	0.016	.090	-
30. Working alliance in therapy	60.3% (35)	44.4% (12)	1.884	.170	-

& Fariña, 2013). The results of true kappa are interpreted as weak (< .60), high (> .61-< .81) or very high ($\geq .81$). In addition to the inter-rater reliability, the persistence over time with the same case and information (whiting-rater concordance or test-retest reliability), and between-contexts concordance (estimating whether other encoders, equally trained, would get similar results) was analyzed (Monteiro, Vázquez, Seijo, & Arce, 2018). In this study, two researchers rated 30 CPVR each, then repeated their own assessment of three cases and did the rating of three cases of the other researcher. Inter-rater and the intra-rater (test-retest) reliabilities were high (> .9) in both cases. At the same time, one of the researchers also showed reliability in its coding in a previous study (Loinaz, et al., 2017).

Data Analysis

Contingency tables (chi-square tests) and odds ratios were analyzed, comparing the prevalence of presence of each risk factor ("Yes" and "No") were added to facilitate 2 x 2 comparisons). To obtain a numerical risk level, risk factor codifications were translated to coding of 2 (Yes), 1 (?), and 0 (No). This allowed a comparison of mean scores (*t*-test) between groups as well as use of the score for prediction purposes. Binary logistic regression analyses were conducted to identify best predictors of CPV group (clinical or judicial). All bivariate significant

variables except psychopathology and presence of a CPV complaint were included. Psychopathology was not included because differences were considered to be possibly due to types of assessment conducted at each center, given that often, in clinical settings, one target is diagnosing pathology. CPV complaints (to police or in court) were not included because of their direct relation as a previous step in being attended to in a judicial context. The enter method and the backward stepwise method (with likelihood ratio method) were used, beginning with all bivariate significant variables and eliminating variables that did not contribute to the prediction model or were not significant. Following the significance of the Wald statistic ($p < .005$) and Exp(*B*) confidence interval (not including value 1), some predictors (2, 12, 18, and 22) were eliminated from successive analyses. Finally, ROC curve analyses were used to determine how well the tool distinguished the type of offender and the presence of injuries. Possible cut-off scores were calculated analyzing the area under the curve (AUC).

Results

Main Risk and Protective Factors

Table 1 shows the comparison between the prevalence of risk and protective factors of both samples. The judicial sample showed more

complex violence contexts with more bidirectionality and violence other than CPV, and greater rates of complaints filed for CPV. As to the psychological issues of the perpetrators, the only variable that was significantly more prevalent in the clinical group was the presence of psychopathological symptoms (including symptoms or diagnosis of disorders like conduct disorder, depression, and so on). For the other variables, there were either no differences between the two groups, or the risk factors were more prevalent in cases that were treated in legal contexts (empathy problems, anger management, narcissism, and attitudes justifying violence).

Regarding variables of adaptation, there were significantly more antisocial relationships and more histories of failure in previous interventions in the judicial sample. The block of family factors was the one that demonstrated the most significant differences between groups. In all six variables of which it is composed, the prevalence was higher in the judicial context, suggesting more conflicts and personal problems of parents, problematic education style, and inversion of the hierarchy. The protective factors were, as a whole, more frequent in the clinical sample, confirming a better case profile for this group.

Other Factors Included in the CPVR

In Table 2 other risk factors present in the first section of the CPVR are compared. Judicial cases had significantly more single-parent families, and siblings who also had histories of aggression. In the judicial sample there was higher prevalence of parental criminal records (50.0% vs. 2.2%), higher prevalence of injuries to the mother (53.3% vs. 3.3%), and more than 40% of the group had histories of violence other than CPV (42.9% vs. 18.4%). On the other hand, only clinical cases saw offenders coming from adoptive families (21.3%) and in this sample as well there was longer duration of violence (6.3 vs. 3 years). The age of onset was earlier in the clinical group ($M = 11.7$, $SD = 3.81$) than in the judicial one ($M = 13.2$, $SD = 2.51$), although the difference was not statistically significant ($p = .051$).

Predictors and Classification

After several logistic regression analyses, four variables (see Table 3) emerged with significant predictive power, with an accurate classification of 89.4% of all cases: narcissism, attitudes, violence between parents, and personal problems of parents. The prediction was better for clinical cases (94.8%) than for judicial cases (77.8%). Although bidirectionality was significant in some steps, prediction for judicial cases improved when this factor was eliminated from the model.

Quantitative Risk Assessment

Taking a quantitative perspective, there was a difference in the total score of risk factors in the CPVR, which was significantly ($p = .000$) higher in the judicial sample ($M = 25.86$, $SD = 8.51$) than in the clinical one ($M = 14.25$, $SD = 7.94$). According to AUC value, total score distinguished the type of group (AUC = .830, 95% CI [.733, .926], $p = .000$), and the presence of injuries to mother (AUC = .764, 95% CI [.637, .891], $p = .001$) with a large effect size (Salgado, 2018). The best cut-off score for group classification and injuries to mothers was between scores of 22 and 23 as can be seen in Table 4. Paying attention to the Positive Predictive Value (PPV), adopting a cut-off score of ≥ 23 , 69% of perpetrators classified as high risk were being attended to in a judicial context, and 83.9% of low risk offenders were being treated in a clinical context. If a cut-off score of ≥ 22 is adopted in regard to injuries to the mother, 41.9% of cases labeled as high risk saw injuries to the mother, while 91.7% of low risk cases did not. The PPV permits an answer to the following question: when a case is labeled as high risk, what is the probability that this case will be treated within a judicial context or will include injuries to the mother? On the other hand, the Negative Predictive Value (NPV) allows one to know the probability that a case labeled as low risk will be in a clinical system or will not have injuries to mother. For both results, the prediction was always more accurate for the negative case (being clinical or no injuries).

Table 2. Prevalence of Other Factors Included in the Tool

	Clinical ($n = 61$)	Judicial ($n = 30$)	χ^2	p	OR
Academic/work situation					
No work/no studies	7.3% (4)	44.4% (12)			
Studies	90.9% (50)	55.6% (15)			
Work	1.8% (1)	0% (0)			
Single parent family	28.3% (17)	58.6% (17)	7.597	.006	3.583
Mother	88.2% (15)	77.8% (14)			
Father	5.9% (1)	16.7% (3)	1.007	.604	-
Aunt	5.9% (1)	5.6% (1)			
Adoption	21.3% (13)	0% (0)	7.358	.007	0.623
Immigration/family regrouping	8.5% (5)	6.9% (2)	0.066	.797	-
Criminal history of parents ¹	2.2% (1)	50.0% (13)	24.257	.000	45.000
Death of a close family member	10.7% (6)	10.7% (3)	0.000	1	-
Aggressive siblings	1.8% (1)	13.0% (3)	4.397	.036	
Violence toward mother					
Physical	44.3% (27)	80.0% (24)	10.426	.001	5.037
Psychological	90.2% (55)	89.7% (26)	0.006	.940	-
Economic	39.3% (24)	64.3% (18)	4.790	.029	2.775
Injuries	3.3% (2)	53.3% (16)	31.753	.000	33.714
Violence toward father					
Physical	29.5% (18)	20.0% (6)	0.936	.450	-
Psychological	57.4% (35)	26.7% (8)	7.609	.006	0.270
Economic	26.2% (16)	10.0% (3)	3.206	.073	-
Injuries to father	1.6% (1)	3.3% (1)	0.268	1	-
Other criminal activity	18.4% (9)	42.9% (9)	4.615	.032	3.333

Note. ¹Although the item includes both parents, in this sample only fathers had criminal records.

Table 3. Binary Logistic Regression Results

Risk factor	B	SE	Wald	df	p	Exp(B)	95% CI for Exp(B)	
							Lower	Upper
Narcissism	2.203	0.844	6.810	1	.009	9.057	1.731	47.392
Violent attitudes	2.236	0.716	9.751	1	.002	9.354	2.299	38.058
Violence between parents	2.051	1.010	4.122	1	.042	7.773	1.073	56.288
Personal problems of parents	1.873	0.821	5.212	1	.022	6.511	1.303	32.521
Constant:	-3.184	0.656	23.571	1	.000	0.041		

Note. Model $\chi^2(4) = 49.540$, $p = .000$. Hosmer-Lemeshow = .750; Cox-Snell = .442; R^2 Nagelkerke = .619.

Discussion

The aim of this paper was to compare two samples of CPV offenders, coming from clinical and judicial contexts, according to risk and protective factors assessed with a new violence risk assessment tool, the Child-to-Parent Violence Risk assessment tool. We wanted to know what differentiates cases, leading to some being treated in private therapeutic contexts and others intervened upon by the judicial system. As far as we know, this is the first study comparing these types of cases.

First, the type of violence was found to be different among groups, with more injuries to mothers in judicial cases, although physical violence to fathers was slightly higher among clinical cases, with earlier age of onset and longer duration of the abuse in this latter group. Taking this into account we can hypothesize, as will be discussed later on, that each group corresponds to a different type of CPV or reflects an evolution in offenses and type of situation from less to very severe. With regard to personal variables of offenders, diagnoses of psychopathology were more prevalent among clinical cases (mainly because the clinical diagnostic is often sought out in the clinical context), but psychological profiles were worse in the judicial group. Academic problems and antisocial behaviors were equally prevalent in both groups, but judicial offenders had more antisocial friends and failures in previous interventions. This pointed to the higher therapeutic needs of these children. Contreras & Cano (2015) compared CPV cases with those of other young offenders and non-offender adolescents, finding the highest presence of psychopathology and social-cognitive difficulties in the CPV group. We did not find significant differences among groups for drug abuse. Although the prevalence of this problem was lower compared to previous research, the result is also congruent with the finding that drug consumption is not a key variable to differentiate types of young offenders despite it being important in comparing non-offenders to offenders (Contreras & Cano, 2015). Impulsivity seems to be a common characteristic of CPV offenders and other young offenders (Contreras & Cano, 2015; Rico, Rosado, & Cantón-Cortés, 2017), and in our case both groups had the same high prevalence. Self-esteem also did not show differences, matching previous studies in which no differences in self-esteem were found either between CPV offenders and general offenders (Contreras & Cano, 2015; Ibabe et al., 2014a; Kennedy et al., 2010), or between CPV offenders and non-offenders (Ibabe et al., 2014b). Antisocial peers and failure in previous interventions were also more prevalent in judicial context.

An aspect found repeatedly in previous research is the risk related to family factors. As expected, judicial cases had significantly higher prevalence in all risk factors related to family problems (i.e., problematic education style, conflicts, violence). Results of parental supervision and discipline are inconsistent (Ibabe & Bentler, 2016), but negligent parenting style (little support and little control) has been found to increase the probability of physical and verbal violence towards parents (Contreras & Cano, 2014b; Gamez-Guadix et al., 2012). Parenting style may be associated both with externalizing problems (i.e., authoritarian style) as well as good behavior (i.e., affection, communication) (Ruiz-Hernández, Moral-Zafra, Llor-Esteban, & Jiménez-Barbero, 2019). Single parent families were more prevalent among judicial cases. Previous research has found this prevalence to be higher among CPV cases compared to other offenders (Contreras & Cano, 2014a, 2014b; Ibabe & Jaureguizar, 2010), commonly with the mother in charge (Kethineni, 2004). It has been suggested that the increased risk of CPV against single-mothers may be due to other problems related to family organization or concomitants of divorce, and not only to being a single-parent or mother (Pagani, Larocque, Vitaro, & Tremblay, 2003).

Moreover, violence committed by parents is a particular risk factor in CPV (Del Hoyo-Bilbao, Gámez-Guadix, & Calvete, 2018). Added to the higher prevalence of victimization by parents in the judicial context and related in the literature with a higher presence of physical and psychological aggression towards parents (Gámez-Guadix & Calvete, 2012), there were also more violent and non-violent conflicts between parents in the judicial sample. This bidirectionality has been described in a third of the cases referred to court, with judicial CPV offenders having been victims or witnesses in up to 80% of these cases (Ibabe et al., 2009). Parent-to-child violence has also been shown to be a consistent predictor of CPV in previous research (Gallego et al., 2019). This first finding was confirmed in our judicial sample (with it having been five times more probable to be a victim at home), and 50% of the full sample had been a victim or witness of violence (violence between parents was 11 times more probable among judicial cases). Exposure to different forms of family violence can explain between 16% and 45% of the aggressions of young people to their parents (Morán, González-Álvarez, & García-Vera, 2011) and, therefore, it should be an issue to consider in intervention and prevention programs. CPV cases are more likely to have histories of violence in the family (as victims or as witnesses) compared to general youth offenders (Contreras & Cano, 2014a). One explanation

Table 4. Cut-off Score Prediction of Group and Injuries to Mother

RCPV score	TP	FP	TN	FN	Sens.	Spec.	Global estimate	PPV	NPV
Case (judicial) prediction									
≥ 22	21	10	51	9	70.0%	83.6%	79.1%	67.7%	85.0%
≥ 23	20	9	52	10	66.7%	85.2%	79.1%	69.0%	83.9%
Injuries (yes) prediction									
≥ 22	13	18	55	5	72.5%	75.3%	74.7%	41.9%	91.7%
≥ 23	12	17	56	6	66.7%	76.7%	74.7%	41.4%	90.3%

Note. TP = true positive; TN = true negative; FP = false positive; FN = false negative; Sens. = sensitive (true positive fraction) = $TP/(TP+FN)$; Spec. = specificity (true negative fraction) = $TN/(TN+FP)$; PPV = positive predictive value = $TP/(TP+FP)$; NPV = negative predictive value = $TN/(TN+FN)$.

is that children's behaviors may affect parenting behavior, and that continual aggressive behavior in adolescents may launch a negative cycle of family interactions (Contreras & Cano, 2015). Kethineni (2004) hypothesized that "juveniles could have modeled their own behavior on what their parents customarily did in conflict situations." (p. 388). Finally, there was a higher prevalence of personal issues of parents of judicial CPV offenders. Previous research has pointed out that issues such as drug consumption in parents can lead to inconsistent communication of norms or enforcement of discipline (Pagani et al., 2009), and depressive symptoms may be related to psychological abuse, specifically for mothers (Ghanizadeh & Jafari, 2010). On the other hand, half the fathers of offenders in the judicial system had criminal records, compared to only 2% of fathers in clinical cases. Contreras & Cano (2014b) suggest that this risk factor is common among CPV offenders and other youth offenders. The prevalence found in this judicial sample is similar to the 48.2% found by Kethineni (2004), though the current study did not replicate criminal records found for mothers in Kethineni's study.

Research on CPV and protective factors is scarce, and a recent study analyzing this used a type of protective factor not commonly used in risk assessment research (Beckmann et al., in press), namely, the opposite of some risk factors as protective factors (i.e., positive family relationship, high self control). Moreover, little is known about the utility of protective factors in other youth offender risk assessment tools or even results go in an unexpected direction. For instance, Hilberman, Nicholls, and van Nieuwenhuizen (2014) found that SAVRY's protective factor total scores did not add incremental validity over SAVRY risk total scores. In our sample, groups differed on the prevalence of family involvement in therapy and children's social support. While prevalence of family involvement was higher in clinical cases, social support was found to be greater in judicial cases. Family implication may be related to family functionality and cohesion, and it is considered by clinicians a predictor of good prognosis. The finding of greater social support among judicial cases is not easy to explain but may be related to the deterioration of family relationships, leading to more frequent interaction or help seeking outside the family.

This tool has been shown to be useful in the classification of different types of CPV offenders (AUC = .830), and even to discriminate the presence of injuries toward the mother (AUC = .764). Moreover, cut-off scores were useful to correctly classify up to 79.1% of offenders into the correct group, and 74.7% of those with or without injuries to the mother.

This study presents some limitations that should be taken into account to understand results and implications. First, there were more girls in the clinical sample, which may have biased the results. The sample was also not representative as far as it was small and not randomized. Moreover, the comparison was made between CPV offenders without a control group of non-offenders or other offenders who had not committed CPV. Future research could be more accurate by comparing more groups to analyze whether there is a progression in the risk profile or whether the different approach adopted in cases of CPV (i.e., legal or clinical) is truly chosen by the family or rather due to family type (i.e., differences in possibilities, resources, and so on). There were not scores for the different risk factors (i.e., psychological features), so comparison was only made in a categorical way (presence vs. absence). Having specific scores in some dimensions could help to better understand the differences found.

Together with the practical implications for prevention and detection (detecting evolution of violence or managing the case according to risk level), some questions are derived from this research that should be addressed in future studies. First, prospective follow-ups to establish predictors of recidivism or treatment success will be needed. At the same time, the utility of protective factors should be addressed. Whether CPV is a type of domestic violence or a type of youth offense is another question. So far, studies looking at this specific comparison (Contreras & Cano, 2014a, 2014b, 2015; Ibabe et al., 2014b;

Kennedy et al., 2010) have found some differences among types of offenders that we have found also within our samples. According to these and previous results, it seems that there may be a continuum or dimensional evolution in CPV cases, from more "normal" or less criminal, and more similar to non-offenders (i.e., our clinical sample), to more antisocial or criminal offenders, who are more similar to other youth offenders than to non-offender groups (i.e., our judicial sample). Another research line to be developed is to address the gender-specific relevance of the risk and protective factors, as has been done recently (Beckmann et al., in press; Del Hoyo-Bilbao, Gámez-Guadix, Orue, & Calvete, 2018; Rico et al., 2017), or to establish specific weighting for each risk factor to arrive to actuarial results, which could be useful for decision making of front line practitioners.

This work shows the potential of the CPVR in daily practice when classifying cases within intervention programs or even assessing possible evolutions of cases. Its application in different contexts or with different predictive aims will strengthen its usefulness for clinicians and front line professionals.

Conflict of Interest

The authors of this article declare no conflict of interest.

References

- Aroca, C., Miró, C., & Bellver, M. C. (2013). Los problemas de violencia en los adolescentes. ¿Incapacidad educativa de los progenitores? [The Problems of Violence in Adolescents. Inability of the parents to transmit values?]. *Educación Social: Revista de Intervención Socioeducativa*, 53, 121-136. Retrieved from <https://core.ac.uk/download/pdf/39107546.pdf>
- Beckmann, L., Bergmann, M. C., Fischer, F., & Mößle, T. (in press). Risk and protective factors of child-to-parent violence: A comparison between physical and verbal aggression. *Journal of Interpersonal Violence*. <https://doi.org/10.1177/0886260517746129>
- Boxer, P., Gullan, R. L., & Mahoney, A. (2009). Adolescents' physical aggression toward parents in a clinic-referred sample. *Journal of Clinical Child & Adolescent Psychology*, 38, 106-116. <https://doi.org/10.1080/15374410802575396>
- Calvete, E., Gámez-Guadix, M., & Orue, I. (2014). Características familiares asociadas a violencia filio-parental en adolescentes [Family characteristics associated with child-to-parent aggressions in adolescents]. *Anales de Psicología*, 30, 1176-1182. <https://doi.org/10.6018/analesps.30.3.166291>
- Calvete, E., Gámez-Guadix, M., Orue, I., Gonzalez-Diez, Z., Lopez de Arroyabe, E., Sampedro, R., ... Borrado, E. (2013). Brief report: The Adolescent Child-to-Parent Aggression Questionnaire: An examination of aggressions against parents in Spanish adolescents. *Journal of Adolescence*, 36, 1077-1081. <https://doi.org/10.1016/j.adolescence.2013.08.017>
- Calvete, E., & Orue, I. (2016). Violencia filio-parental: frecuencia y razones para las agresiones contra padres y madres. *Behavioral Psychology/ Psicología Conductual*, 24, 481-495.
- Calvete, E., Orue, I., & Gámez-Guadix, M. (2013). Child-to-parent violence: Emotional and behavioral predictors. *Journal of Interpersonal Violence*, 28, 755-772. <https://doi.org/10.1177/0886260512455869>
- Calvete, E., Orue, I., & Sampedro, R. (2011). Violencia filio-parental en la adolescencia: características ambientales y personales [Child to parent violence in adolescence: Environmental and individual characteristics]. *Infancia y Aprendizaje*, 34, 349-363. <https://doi.org/10.1174/021037011797238577>
- Castañeda, A., Garrido-Fernández, M., & Lanzarote, M. D. (2012). Menores con conducta de maltrato hacia los progenitores: un estudio de personalidad y estilos de socialización [Juvenile offenders who assault their parents: A study of personality traits and parenting styles]. *Revista de Psicología Social*, 27, 157-167. <https://doi.org/10.1174/021347412800337933>
- Condry, R., & Miles, C. (2014). Adolescent to parent violence: Framing and mapping a hidden problem. *Criminology and Criminal Justice*, 14, 257-275. <https://doi.org/10.1177/1748895813500155>
- Contreras, L., Bustos-Navarrete, C., & Cano-Lozano, M. C. (2019). Child-to-parent Violence Questionnaire (CPV-Q): Validation among Spanish adolescents. *International Journal of Clinical and Health Psychology*, 19, 67-74. <https://doi.org/10.1016/j.ijchp.2018.09.001>
- Contreras, L., & Cano, C. (2014a). Adolescents who assault their parents: A different family profile of young offenders? *Violence and Victims*, 29, 393-406. <https://doi.org/10.1891/0886-6708.vv-d-12-00132>

- Contreras, L., & Cano, C. (2014b). Family profile of young offenders who abuse their parents: A comparison with general offenders and non-offenders. *Journal of Family Violence*, 29, 901-910. <https://doi.org/10.1007/s10896-014-9637-y>
- Contreras, L., & Cano, C. (2015). Exploring psychological features in adolescents who assault their parents: A different profile of young offenders? *The Journal of Forensic Psychiatry & Psychology*, 26, 224-241. <https://doi.org/10.1080/14789949.2015.1004634>
- Contreras, L., & Cano, M. C. (2016). Child-to-parent violence: The role of exposure to violence and its relationship to social-cognitive processing. *The European Journal of Psychology Applied to Legal Context*, 8, 43-50. <https://doi.org/10.1016/j.ejpal.2016.03.003>
- Coogan, D. (2014). Responding to child-to-parent violence: Innovative practices in child and adolescent mental health. *Health & Social Work*, 39(2), e1-e9. <https://doi.org/10.1093/hsw/hlu011>
- Cottrell, B., & Monk, P. (2004). Adolescent-to-parent abuse - A qualitative overview of common themes. *Journal of Family Issues*, 25, 1072-1095. <https://doi.org/10.1177/0192513x03261330>
- de Vries Robbé, M., & Willis, G. M. (2017). Assessment of protective factors in clinical practice. *Aggression and Violent Behavior*, 32, 55-63. <https://doi.org/10.1016/j.avb.2016.12.006>
- Del Hoyo-Bilbao, J., Gámez-Guadix, M., & Calvete, E. (2018). Corporal punishment by parents and child-to-parent aggression in Spanish adolescents. *Anales de Psicología/Annals of Psychology*, 34, 108-116. <https://doi.org/10.6018/analesps.34.1.259601>
- Del Hoyo-Bilbao, J., Gámez-Guadix, M., Orue, I., & Calvete, E. (2018). Psychometric properties of the Child-to-Parent Aggression Questionnaire in a clinical sample of adolescents who abuse their parents: Prevalence and gender differences. *Violence and Victims*, 33, 203-217. <https://doi.org/10.1891/0886-6708.VVD-16-00166>
- Douglas, K. S., Hart, S. D., Webster, C. D., Belfrage, H., Guy, L. S., & Wilson, C. M. (2014). Historical-Clinical-Risk Management-20, Version 3 (HCR-20V3): Development and overview. *International Journal of Forensic Mental Health*, 13, 93-108. <https://doi.org/10.1080/14999013.2014.906519>
- Edenborough, M., Wilkes, L. M., Jackson, D., & Mannix, J. (2011). Development and validation of the Child-To-Mother Violence Scale. *Nurse Researcher*, 18, 63-76. <https://doi.org/10.7748/nr2011.01.18.2.63.c8285>
- Gallego, R., Novo, M., Fariña, F., & Arce, R. (2019). Child-to-parent violence and parent-to-child violence: A meta-analytic review. *The European Journal of Psychology Applied to Legal Context*, 11, 51-59. <https://doi.org/10.5093/ejpalc2019a4>
- Gámez-Guadix, M., & Calvete, E. (2012). Violencia filio-parental y su asociación con la exposición a la violencia marital y la agresión de padres a hijos [Child-to-parent violence and its association with exposure to marital violence and parent-to-child violence]. *Psicothema*, 24, 277-283.
- Gamez-Guadix, M., Jaureguizar, J., Almendros, C., & Carrobes, J. A. (2012). Estilos de socialización familiar y violencia de hijos a padres en población española [Parenting styles and child to parent violence in Spanish population]. *Behavioral Psychology-Psicología Conductual*, 20, 585-602.
- Ghanizadeh, A., & Jafari, P. (2010). Risk factors of abuse of parents by their ADHD children. *European Child & Adolescent Psychiatry*, 19, 75-81. <https://doi.org/10.1007/s00787-009-0067-y>
- González-Álvarez, M., Gesteira, C., Fernández-Arias, I., & García-Vera, M. P. (2010). Adolescentes que agreden a sus padres. Un análisis descriptivo de los menores agresores [Adolescents who attack their parents. A descriptive analysis of the minor offenders]. *Psicopatología Clínica, Legal y Forense*, 10, 37-53. Retrieved from <https://masterforense.com/pdf/2010/2010art3.pdf>
- Hilterman, E. L. B., Nicholls, T. L., & van Nieuwenhuizen, C. (2014). Predictive validity of risk assessments in juvenile offenders: Comparing the SAVRY, PCL: YV, and YLS/CMI with unstructured clinical assessments. *Assessment*, 21, 324-339. <https://doi.org/10.1177/1073191113498113>
- Holt, A. (2012). Researching parent abuse: A critical review of the methods. *Social Policy and Society*, 11, 289-298. <https://doi.org/10.1017/S1474746411000625>
- Holt, A. (2016). Adolescent-to-parent abuse as a form of "domestic violence": A conceptual review. *Trauma, Violence, & Abuse*, 17, 490-499. <https://doi.org/10.1177/1524838015584372>
- Ibabe, I., Arnoso, A., & Elgorriaga, E. (2014a). Behavioral problems and depressive symptomatology as predictors of child-to-parent violence. *The European Journal of Psychology Applied to Legal Context*, 6, 53-61. <https://doi.org/10.1016/j.ejpal.2014.06.004>
- Ibabe, I., Arnoso, A., & Elgorriaga, E. (2014b). The clinical profile of adolescent offenders of child-to-parent violence. *Procedia - Social and Behavioral Sciences*, 131, 377-381. <https://doi.org/10.1016/j.sbspro.2014.04.133>
- Ibabe, I., & Bentler, P. M. (2016). The contribution of family relationships to child-to-parent violence. *Journal of Family Violence*, 31, 259-269. <https://doi.org/10.1007/s10896-015-9764-0>
- Ibabe, I., & Jaureguizar, J. (2010). Child-to-parent violence: Profile of abusive adolescents and their families. *Journal of Criminal Justice*, 38, 616-624. <https://doi.org/10.1016/j.jcrimjus.2010.04.034>
- Ibabe, I., Jaureguizar, J., & Bentler, P. M. (2013). Risk factors for child-to-parent violence. *Journal of Family Violence*, 28, 523-534. <https://doi.org/10.1007/s10896-013-9512-2>
- Ibabe, I., Jaureguizar, J., & Díaz, O. (2009). Adolescent violence against parents. Is it a consequence of gender inequality? *The European Journal of Psychology Applied to Legal Context*, 1, 3-24. Retrieved from http://sepjf.webs.uvigo.es/index.php?option=com_docman&task=doc_download&gid=9&Itemid=110&lang=es
- Kennair, N., & Mellor, D. (2007). Parent abuse: A review. *Child Psychiatry and Human Development*, 38, 203-219. <https://doi.org/10.1007/s10578-007-0061-x>
- Kennedy, T. D., Edmonds, W. A., Dann, K. T. J., & Burnett, K. F. (2010). The clinical and adaptive features of young offenders with histories of child-parent violence. *Journal of Family Violence*, 25, 509-520. <https://doi.org/10.1007/s10896-010-9312-x>
- Kethineni, S. (2004). Youth-on-parent violence in a Central Illinois county. *Youth Violence and Juvenile Justice*, 2, 374-394. <https://doi.org/10.1177/1541204004267785>
- Loinaz, I., Andrés-Pueyo, A., & Pereira, R. (2017). Factores de riesgo de violencia filio-parental: una aproximación con juicio de expertos [Child-to-parent violence risk factors: An approach with expert judgement]. *Acción Psicológica*, 14(2), 17-32. <https://doi.org/10.5944/ap.14.2.20747>
- Monteiro, A., Vázquez, M. J., Seijo, D., & Arce, R. (2018). ¿Son los criterios de realidad válidos para clasificar y discernir entre memorias de hechos auto-experimentados y de eventos vistos en vídeo? [Are the reality criteria valid to classify and to discriminate between memories of self-experienced events and memories of video-observed events?]. *Revista Iberoamericana de Psicología y Salud*, 9, 149-160. <https://doi.org/10.23923/j.rips.2018.02.020>
- Morán, N., González-Álvarez, M., & García-Vera, M. P. (2011). Violencia de hijos a padres: la importancia de la exposición a la violencia interparental y de padres a hijos. Una revisión teórica [Violence of children to parents: The importance of exposure to interparental violence and from parents to children. A theoretical review]. *Psicopatología Clínica, Legal y Forense*, 11, 123-141. Retrieved from <https://dialnet.unirioja.es/descarga/articulo/6383211.pdf>
- Moulds, L., Day, A., Mildred, H., Miller, P., & Casey, S. (2016). Adolescent violence towards parents: The known and unknowns. *Australian and New Zealand Journal of Family Therapy*, 37, 547-557. <https://doi.org/10.1002/anzf.1189>
- Nock, M. K., & Kazdin, A. E. (2002). Parent-directed physical aggression by clinic-referred youths. *Journal of Clinical Child & Adolescent Psychology*, 31, 193-205. https://doi.org/10.1023/S15374424JCCP3102_05
- O'Hara, K. L., Duchscher, J. E., Beck, C. J. A., & Lawrence, E. (2017). Adolescent-to-parent violence: Translating research into effective practice. *Adolescent Research Review*, 2, 181-198. <https://doi.org/10.1007/s40894-016-0051-y>
- Pagani, L. S., Larocque, D., Vitaro, F., & Tremblay, R. E. (2003). Verbal and physical abuse toward mothers: The role of family configuration, environment, and coping strategies. *Journal of Youth and Adolescence*, 32, 215-222. <https://doi.org/10.1023/A:1022599504726>
- Pagani, L. S., Tremblay, R. E., Nagin, D., Zoccolillo, M., Vitaro, F., & McDuff, P. (2004). Risk factor models for adolescent verbal and physical aggression toward mothers. *International Journal of Behavioral Development*, 28, 528-537. <https://doi.org/10.1080/01650250444000243>
- Pagani, L. S., Tremblay, R. E., Nagin, D., Zoccolillo, M., Vitaro, F., & McDuff, P. (2009). Risk factor models for adolescent verbal and physical aggression toward fathers. *Journal of Family Violence*, 24, 173-182. <https://doi.org/10.1007/s10896-008-9216-1>
- Pereira, R., & Bertino, L. (2010). Los hijos que agreden a sus padres. La actitud del profesional de atención primaria [Children who attack their parents. The attitude of the primary care professional]. *FMC. Formación Médica Continuada en Atención Primaria*, 17, 39-47. Retrieved from http://www.robertopereiratercero.es/articulos/Hijos_que_agreden_a_sus_padres.pdf
- Pereira, R., Loinaz, I., del Hoyo, J., Arrospeide, J., Bertino, L., Calvo, A., . . . Gutiérrez, M. M. (2017). Proposal for a definition of filio-parental violence: Consensus of the Spanish Society for the Study of Filio-Parental Violence (SEVIFIP). *Papeles del Psicólogo*, 38, 216-223. <https://doi.org/10.23923/pap.psicol2017.2839>
- Rico, E., Rosado, J., & Cantón-Cortés, D. (2017). Impulsiveness and child-to-parent violence: The role of aggressor's sex. *The Spanish Journal of Psychology*, 20, 1-11. <https://doi.org/10.1017/sjp.2017.15>
- Rosado, J., Rico, E., & Cantón-Cortés, D. (2017). Influence of psychopathology on the perpetration of child-to-parent violence: Differences as a function of sex. *Anales de Psicología*, 33, 243-251.
- Routt, G., & Anderson, L. (2011). Adolescent violence towards parents. *Journal of Aggression, Maltreatment and Trauma*, 20, 1-19. <https://doi.org/10.1080/10926771.2011.537595>
- Ruiz-Hernández, J. A., Moral-Zafra, E., Llor-Esteban, B., & Jiménez-Barbero, J. A. (2019). Influence of parental styles and other psychosocial variables on the development of externalizing behaviors in adolescents: A systematic review. *The European Journal of Psychology Applied to Legal Context*, 11, 9-21. <https://doi.org/10.5093/ejpalc2018a11>
- Salgado, J. F. (2018). Transforming the area under the normal curve (AUC) into Cohen's d, Pearson's rpb, odds-ratio, and natural log odds-ratio: Two conversion tables. *The European Journal of Psychology Applied to Legal Context*, 10, 35-47. <https://doi.org/10.5093/ejpalc2018a5>
- Simmons, M., McEwan, T. E., Purcell, R., & Ogloff, J. R. P. (2018). Sixty years of child-to-parent abuse research: What we know and where to go.

- Aggression and Violent Behavior*, 38, 31-52. <https://doi.org/10.1016/j.avb.2017.11.001>
- Vilariño, M., Arce, R., & Fariña, F. (2013). Forensic-clinical interview: Reliability and validity for the evaluation of psychological injury. *The European Journal of Psychology Applied to Legal Context*, 5, 1-21. Retrieved from <http://scielo.isciii.es/pdf/ejpalc/v5n1/original1.pdf>
- Walsh, J. A., & Krienert, J. L. (2007). Child-parent violence: An empirical analysis of offender, victim, and event characteristics in a national sample of reported incidents. *Journal of Family Violence*, 22, 563-574. <https://doi.org/10.1007/s10896-007-9108-9>
- Walsh, J. A., & Krienert, J. L. (2009). A decade of child-initiated family violence: Comparative analysis of child-parent violence and parricide examining offender, victim, and event characteristics in a national sample of reported incidents, 1995-2005. *Journal of Interpersonal Violence*, 24, 1450-1477. <https://doi.org/10.1177/0886260508323661>