



Psychosocial Intervention

<https://journals.copmadrid.org/pi>



Associations between Demographic Factors and Sexual Intimate Partner Violence Perpetration and Victimization: A Meta-analysis

Paul A. Zehr, Chelsea M. Spencer, Mariah Moore, and Adi Siegmann

Kansas State University, USA

ARTICLE INFO

Received 14 January 2025
Accepted 29 April 2025

Keywords:
Sexual IPV
Demographics
Risk markers
Meta-analysis

ABSTRACT

Objective: Sexual intimate partner violence (SIPV) is a significant public health concern of global importance. This meta-analysis sought to examine the relationship between demographic factors and SIPV perpetration and victimization. **Method:** The database searches identified a total of 143 articles to be included in the meta-analysis. Comprehensive meta-analysis 3.0 was used to calculate aggregate effect sizes (Pearson's r) for the relationship between demographic variables and SIPV exposure. Variables were examined for SIPV perpetration and victimization and were separated between male and female samples. **Results:** There was a significant relationship between SIPV victimization and being bisexual ($r = .25, p < .001$), LGBTQ ($r = .21, p < .001$), female ($r = .19, p < .001$), and disabled ($r = .19, p < .001$). Lower income ($r = .07, p = .001$), lower education ($r = .06, p < .001$), and younger age ($r = .04, p < .001$) also correlated with SIPV victimization. Being married ($r = -.08, p = .027$) was identified as a protective marker against SIPV victimization. Identifying as female ($r = -.17, p = .003$) had a negative association with SIPV perpetration. **Conclusions:** The current study found that several demographic factors are significantly related to increased risk of SIPV perpetration and/or victimization, while few have a protective effect.

Intimate partner violence (IPV) is a major public health concern affecting a significant portion of the global population. IPV occurs in many types of intimate relationships and can include psychological aggression, physical violence, and sexual violence. Recent global prevalence estimates from the World Health Organization (WHO, 2014) show that 27% of women of reproductive age (15–49 years old) have experienced physical or sexual IPV in their lifetime (2018). Previous global estimates of IPV victimization as high as 37% have been reported in specific regions. Other national studies which include psychological IPV show that almost half of all women (47.3%) and more than 2 in 5 men (44.2%) have experienced some form of IPV in their lifetime (Basile et al., 2022).

This high prevalence is particularly concerning due to the deleterious effects of IPV on other aspects of health. The WHO (2014) found that female victims of IPV are 16% more likely to have a low birthweight baby, 1.5 times more likely to acquire human immunodeficiency virus (HIV), and 4.5 times more likely to attempt suicide. In a recent U.S. study, a significant percentage of victims sustained physical injuries (1 in 3 women, 1 in 5 men) or needed medical attention (1 in 8 women, 1 in 23 men) after exposure to IPV. Victims also developed mental health concerns, including generalized fear and symptoms of posttraumatic stress disorder (PTSD; Leemis et al., 2022). Physical and mental health injuries associated with IPV accrue significant costs like emergency room visits, contact with law

enforcement, and increased use of health care services over time (Walby & Olive, 2014). All of these put a significant strain on personal and public resources.

Sexual intimate partner violence (SIPV) is a complex category of nonconsensual activities in which the victim is raped, sexually assaulted, or coerced by their intimate partner. Though globally representative data rarely separate SIPV from physical IPV, data from the U.S. show that 39.1% of women and 1 in 8 men reported rape victimization in their lifetimes. In addition, 58.3% of women and 45.8% of men experienced lifetime sexual coercion by their partners (Basile et al., 2022).

Adverse effects of SIPV include injury, transmission of sexually transmitted infections (STIs), and unwanted pregnancy (Basile et al., 2022). SIPV victims are also at higher risk for other forms of IPV, including stalking, physical abuse, and psychological aggression (Krebs et al., 2011). In addition to physical health risks, previous research shows that SIPV is associated with an increased risk for mental health diagnoses such as PTSD, major depressive episodes (MDE), and substance use (Zinzow et al., 2012). Taken together, these effects represent a serious threat to public health. This study aims to examine demographic factors that correlate with individuals' risk for SIPV, both as victims and as perpetrators. In contrast to previous research, this meta-analysis separates SIPV from physical IPV in international samples.

Cite this article as: Zehr, P. A., Spencer, C. M., Moore, M., & Siegmann, A. (2025). Associations between demographic factors and sexual intimate partner violence perpetration and victimization: A meta-analysis. *Psychosocial Intervention*. Ahead of print. <https://doi.org/10.5093/pi2025a11>

Correspondence: pazehr@ksu.edu (P. A. Zehr).

ISSN: 1132-0559/© 2025 Colegio Oficial de la Psicología de Madrid. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

Demographic Factors and SIPV

A range of demographic factors have been found to correlate with SIPV perpetration and victimization. Regional and national studies have found that race, sexual orientation, socioeconomic status, disability status, and other demographic characteristics are significantly related to the risk of SIPV (Basile et al., 2022; Breiding et al., 2014; Kebede et al., 2021; Kwagala & Galande, 2022). The current study is crucial because demographic factors are frequently captured by health organizations and governmental bodies. This means any correlations found between SIPV and demographic information can be important in establishing early interventions in the public health sphere. In addition, previous globally representative studies have rarely separated SIPV from physical IPV, which highlights a significant advantage of the present study.

Race and sexual identity are significant markers for the prevalence of sexual violence. For instance, among American women, those who identify as multiracial, American Indian/Alaska Native, and non-Hispanic Black are at highest risk for sexual violence (Basile et al., 2022; Breiding et al., 2014). Lesbian victims have reported lower rates of contact sexual violence (CSV) by their partners than heterosexual women, yet bisexual female victims have reported higher prevalence than both. Gay men have also experienced higher rates of CSV victimization than heterosexual men (Chen et al., 2023).

Studies have also shown that income level, employment, and disability status have some relationship to IPV risk. Kebede et al. (2021) found that high income correlated to lower risk of physical IPV in a multi-country study. Other national samples have demonstrated that higher risk of SIPV victimization is often correlated with low income, though moderated by complex factors such as the perpetrator's education and which partner has a higher income (Dildar, 2021; Larsen et al., 2021). Multiple studies have reported that higher rates of female employment increase the risk of IPV victimization, particularly if the perpetrator is unemployed (Bhalotra et al., 2021; Bourey et al., 2022; Dhanaraj & Mahambare, 2022). In addition, disability status has been reported as a risk factor for SIPV, especially when paired with lower income (Kwagala & Galande, 2022).

Other significant demographic risk factors include level of education, marital status, and number of children in the household. In their recent study, Larsen et al. (2021) found that a husband's higher level of education decreased his risk for SIPV perpetration. Vyas and Heise (2016) concurred that higher education generally has a protective effect on IPV risk, though it has a more complex effect on the lower end of the education spectrum, with low education correlated with higher risk of perpetration than no formal education. Being married has also been reported as a protective factor against IPV (Spencer et al., 2022; Yakubovich et al., 2018). Conversely, studies have shown mixed results regarding the relationship between IPV exposure and the number of children in the home (Larsen et al., 2021; Spencer et al., 2022; Vyas & Heise, 2016). The current study will examine the power of these complex effects across studies, creating a clearer picture of how income level, education, and employment directly interact with SIPV in a global context.

Gender Differences and IPV

According to nationally representative data on prevalence rates of victimization of SIPV, women experience forms of SIPV (i.e., rape, sexual coercion) more frequently than men (Basile et al., 2022; Breiding et al., 2014). Further, extant literature reveals that women who have experienced stalking victimization and violence by non-intimate partners are more likely to experience all types of IPV by intimate partners, including SIPV (Krebs et al., 2011). Notably, 80% of men and women reported experiencing SIPV victimization

for the first time before age 25 (Basile et al., 2022). Similarly, a study by Breiding et al. (2014) found 78.7% of female rape victims reported being raped before age 25. It is apparent that adolescents and emerging adults are at high risk for experiencing sexual violence in their intimate relationships, especially young girls and women (Exner-Cortens et al., 2013; Stark et al., 2019). Moreover, an international study on IPV highlights experiences of physical IPV and/or SIPV victimization of men and women, noting the association with sexual risk behaviors (i.e., alcohol use in context of sex, STIs, having multiple sexual partners) that may be harmful to their future partners (Pengpid & Peltzer, 2020). Due to the gender differences associated with SIPV, it is necessary to examine gender separately regarding demographic factors and their relationship with SIPV victimization and perpetration.

The Present Study

Understanding the factors that predict SIPV is a crucial step in preventing its acute and long-term negative effects on health. For this study, a meta-analysis was conducted of the last 25 years of available global research on SIPV. It separates SIPV from physical IPV and specifically focuses on demographic factors as predictors for SIPV exposure. Variance in SIPV exposure between different gender identities and sexual identities is highlighted, based on significant results in previous studies (Basile et al., 2022; Chen et al., 2023). In addition, the study aims to examine the direction of violence (i.e., perpetration vs. victimization) across demographic factors. This meta-analysis seeks to examine demographic factors as correlates of SIPV, unearth emerging trends, and identify gaps in the literature thereby strengthening the research and clinical applicability of future SIPV research.

Method

Literature Search

The meta-analysis was conducted using standard protocols for obtaining studies to be included in the meta-analysis (Card, 2012). Peer-reviewed journal articles, dissertations, and theses published between 2000-2022 were identified to be included in the study through database searches (Proquest, Proquest Dissertations and Theses, PsycInfo, ERIC, Sociological Abstracts, Social Service Abstracts). Boolean search terms were used related to violence (violen*, aggress* abus*, perpetr*, victim*, maltreat*, domestic violen*, assault), sexual violence (sex*, harass, rape, coerc*, non-consensual, unwanted, manipulation, forced, penetrat*, misconduct, threat, revenge, sodomy, molest, genital, oral, anal), intimate relationships (partner, couple, relation*, married, dat*, spous, marital, intimate, roman&, spous*), and correlates (predict*, associate*, correlate*, marker, risk, path, factor, predict*). The searches identified a total of 20,188 studies for potential inclusion in the current meta-analysis.

Included Studies

Once studies were identified, they were examined for potential inclusion in the meta-analysis. The inclusion criteria was: (a) examined SIPV specifically and not merged with another type of IPV, (b) examined demographic correlates with SIPV, (c) examined samples of adults, (d) included statistics in the study that allowed for the calculation of one or more bivariate effect sizes, (e) were published between 2000-2022, and (f) were written in English.

There were 20,188 studies originally identified for potential inclusion in the meta-analysis (See Figure 1 for flowchart of included studies). During the first round of screening, article titles and

abstracts were reviewed by members of the research team to see if there was a possibility of inclusion in the study. If it was at all possible that studies fit the inclusion criteria, they were included in the second round of screening. A total of 16,489 studies were excluded in the first round of screening, leaving 3,699 studies for further review. A total of 531 duplicates were identified, so a total of 3,168 articles were included in the second round of screening, where full texts were examined to determine eligibility. In the second round of screening, 1,311 were excluded for not examining sexual IPV, 544 did not examine demographic factors as correlates for SIPV, 531 did not provide statistics to calculate one or more bivariate effect sizes, 325 did not examine any correlates for SIPV perpetration or victimization, 202 were qualitative papers or literature reviews, 68 examined child or adolescent populations, 38 were written in a language outside of English, and six were not published during the timeframe examined. A total of 143 studies were included in the current meta-analysis.

Coding Procedures

A 26-item code sheet was created by the research team in order to capture relevant information from each study included in the meta-analysis. The codes sheet collected pertinent information from each included study, such as the location of where data was collected, the sample size, the demographic makeup of the sample (e.g., gender, race, ethnicity), information on the study design (e.g., longitudinal or cross-sectional), how SIPV was defined/measured, and any statistical information to calculate one or more bivariate effect sizes for each study. Each article was cross-coded by two separate researchers in order to ensure accuracy of the data. If there were discrepancies in the data, a lead research team member would consult to determine the correct information. The coding agreement rate was 98.04%

Data Analysis

Data was entered and analyzed using Comprehensive Meta-Analysis 4.0 (Borenstein et al., 2022) using a random-effects approach

to the data analyses. A random-effects approach allows for increased generalizability of the data, as it accounts for both within-study and between-study variance, assuming that effects differ between studies due to true population differences between studies (Borenstein et al., 2010; Dettori et al., 2022). Studies were included in the analysis from all countries and regions, supporting the notion that true population differences between studies are present. Comprehensive Meta-Analysis 4.0 (Borenstein et al., 2022) was used to calculate aggregate effect sizes (Pearson's r) for each demographic factor found in at least two unique studies (Cumming, 2012) to examine the relationship between those demographic factors and SIPV victimization or perpetration. Additionally, the I^2 statistic was also calculated for each variable to examine heterogeneity between studies. Aggregate effect sizes were calculated for samples including all gender identities, for samples including just men, and samples including just women.

Next, for any significant results found in at least three studies, a classic fail-safe n was calculated to examine the potential of publication bias (Rosenthal, 1979). The possibility of publication bias can occur when insignificant findings go unpublished, and are therefore unable to be included in a meta-analysis (Hunter & Schmidt, 2004). In order to determine if results are robust against possible publication bias, the classic fail-safe n provides the number of studies with insignificant findings that it would take for the results to no longer be statistically significant. If the number of studies in the analysis, multiplied by five, and plus ten, is smaller the classic fail-safe n , then results are deemed to be robust against potential publication bias (Rosenthal, 1979). Additionally, Egger's test was calculated to examine asymmetry in the funnel plot to examine potential publication bias among variables that included at least 10 studies (Higgins et al., 2022; Sterne & Egger, 2001). If Egger's test is significant ($p < .05$), it indicates that there may be small-study effects or publication bias (Sterne & Egger, 2001).

Results

A total of 143 studies were included in the analysis. There was a total sample size of 964,955 from all included studies. Approximately 45.5% of the studies were conducted in the United States ($n = 65$), followed by Uganda (7%, $n = 10$), China (5.6%, $n = 8$),




Figure 1. Flowchart of Studies Included.

Table 1. Demographic Factors as Correlates for Sexual Intimate Partner Violence Perpetration and Victimization among Samples of Men and Women

Variable	<i>k</i>	<i>r</i>	95% CI	<i>p</i> -value	<i>I</i> ²	Egger's test (<i>p</i>)	Classic Fail-safe <i>n</i>
Perpetration							
Bisexual vs. Heterosexual	3	.22	[.02, .41]	.031	42.51	--	31
Black vs. White	3	.16	[-.04, .34]	.119	61.91	--	--
LGBTQ vs Heterosexual	4	.10	[.03, .17]	.007	14.63	--	4▲
POC vs. White	5	.04	[-.03, .11]	.261	66.27	--	--
Age (younger)	12	.03	[-.02, .09]	.227	73.94	.564	--
Female vs. Male	14	-.17	[-.06, -.28]	.003	93.81	.006▲	292
Victimization							
Bisexual vs. Heterosexual	5	.25	[.15, .34]	.000	56.00	--	71
LGBTQ vs. Heterosexual	9	.21	[.13, .28]	.000	79.96	--	292
Female vs Male	24	.19	[.09, .28]	.000	96.25	.237	2287
Disability	3	.19	[.14, .23]	.000	65.04	--	158
Income (lower)	34	.07	[.02, .12]	.001	94.86	.921	1303
Education (lower)	57	.06	[.03, .08]	.000	92.49	.306	2153
POC vs White	18	.06	[-.01, .13]	.075	85.52	.551	--
Age (younger)	63	.04	[.03, .05]	.000	84.03	.000▲	1627
Black vs. White	10	.03	[-.11, .17]	.692	87.17	.056	--
Unemployed	41	.02	[-.03, .05]	.310	92.22	.253	--
Hispanic vs. White	6	.01	[-.10, .12]	.841	66.75	--	--
Homosexual vs. Heterosexual	2	.01	[-.22, .24]	.932	0.00	--	--
Married	24	-.08	[-.01, -.15]	.027	94.85	.742	549

Note. *k* = number of effect sizes; *r* = Pearson's *r*; CI = confidence interval; ▲ = not robust against publication bias; boldface indicates statistical significance.

South Africa (4.9%, *n* = 7), India (4.2%, *n* = 6), Nigeria (4.2%, *n* = 6), Bangladesh (2.1%, *n* = 3), and Iran (2.1%, *n* = 3). Two studies were identified that studied populations in multiple countries in Africa, Ethiopia, Malawi, Nepal, Pakistan, Peru, and Turkey. There were 21 countries that were found in only one study. There were 103 studies that focused on male perpetration, 38 that examined both male and female perpetration, and 2 that focused specifically on female perpetration. There were 98 studies that focused solely on female victimization, 35 examined both male and female victimization, and 9 focused on male victimization. There were seven studies that were longitudinal, and the remaining studies (*n* = 136) were cross-sectional. There were 12 studies that specifically examined LGBTQ+ populations and 131 did not.

Demographic Correlates for SIPV

For samples that included both men and women, the strongest demographic factors associated with SIPV victimization were being bisexual (*r* = .25, *p* < .001; See Table 1), being LGBTQ+ (*r* = .21, *p* < .001), being a female (*r* = .19, *p* < .001), and having a disability (*r* = .19, *p* < .001). Having a lower income (*r* = .07, *p* = .001), and having a lower education (*r* = .06, *p* < .001) were all significantly related to SIPV victimization. Being younger (*r* = .04, *p* < .001) was significantly related to SIPV victimization, but was not robust against potential publication bias. Being married was negatively related to SIPV victimization (*r* = -.08, *p* = .027). Being a Person of Color, being Black, being unemployed, and being Hispanic were not significantly related to SIPV victimization.

Being bisexual (*r* = .22, *p* = .031) and being a member of the LGBTQ+ community (*r* = .10, *p* = .007) were significantly related to SIPV perpetration. However, these were not robust against potential publication bias and should be interpreted with caution. Being a female was negatively associated with SIPV perpetration (*r* = -.17, *p* = .007), but was also not robust against potential publication bias. Being Black, a Person of Color (i.e., an aggregate of multiple racial categories), and younger age was not significantly associated with SIPV perpetration.

Demographic Correlates for SIPV for Women

For women, the strongest correlates for SIPV victimization were having a disability (*r* = .19, *p* < .001; see Table 2) and being bisexual (*r* = .19, *p* < .001). The next strongest correlates were being a member of the LGBTQ+ community (*r* = .18, *p* < .001), and cohabitating with a partner (*r* = .10, *p* = .013), although cohabitation was not robust against potential publication bias and should be interpreted with caution. Next, lower income (*r* = .08, *p* < .001), lower age at first marriage (*r* = .07, *p* < .001), polygamy/polyamory (*r* = .06, *p* = .001), lower education (*r* = .18, *p* < .001), and living in a rural area (*r* = .04, *p* = .004) were associated with SIPV victimization for women. Younger age (*r* = .04, *p* < .001) was associated with SIPV victimization among women, but results were not robust against possible publication bias and should be interpreted with caution. Socioeconomic status, being Black, the age difference between partners, number of children, religiosity, length of the relationship, living in an urban area, being a Person of Color, being unemployed, being Hispanic, immigrant status, being married, and living with others (and not their partner) were not significantly related to SIPV victimization.

Demographic Correlates for SIPV for Men

For men, lower education (*r* = .11, *p* = .004; see Table 3) was significantly related to SIPV victimization. Being unemployed (*r* = .09, *p* = .005) was associated with SIPV victimization, but was not robust against potential publication bias and should be interpreted with caution. The length of the relationship was negatively related to SIPV victimization (*r* = -.09, *p* = .027), suggesting the longer the relationship, the less likely SIPV victimization was occurring. Being Black, a Person of Color, Hispanic, having an unskilled job, being LGBTQ+, age at first marriage, being married, younger age, and lower income were not significantly related to SIPV victimization for men. For men, being married was negatively related to SIPV perpetration (*r* = -.19, *p* < .001). Being a Person of Color, Black, Hispanic, younger in age, unemployed, having a lower income, and having a lower education level were not significantly related to SIPV perpetration.

Table 2. Demographic Factors as Correlates for Sexual Intimate Partner Violence Victimization among Samples of Women only

Variable	<i>k</i>	<i>r</i>	95% CI	<i>p</i> -value	<i>I</i> ²	Egger's test (<i>p</i>)	Classic Fail-safe <i>n</i>
Victimization							
Disability	3	.19	[.13, .23]	.000	76.06	--	158
Bisexual v. Heterosexual	2	.19	[.14, .24]	.000	0.00	--	--
LBTQ v. Heterosexual	3	.18	[.12, .24]	.000	44.43	--	50
Cohabitation	5	.10	[.02, .18]	.013	50.17	--	11▲
Income (lower)	27	.08	[.04, .13]	.000	95.56	.967	1362
Age at First Marriage	10	.07	[.04, .11]	.000	88.00	.254	424
Socioeconomic Status (Low)	7	.07	[-.01, .15]	.083	70.27	--	--
Polygamy/Polyamory	8	.06	[.03, .10]	.001	75.58	--	70
Education (lower)	54	.05	[.03, .08]	.000	94.52	.316	1970
Living in Rural Area	11	.04	[.01, .07]	.004	88.65	.863	234
Age (younger)	56	.04	[.03, .05]	.000	84.04	.001▲	1209
Black vs White	7	.03	[-.14, .20]	.726	90.74	--	--
Age Difference Between Partners	4	.02	[-.04, .08]	.471	25.56	--	--
Number of Children	22	.02	[-.07, .11]	.681	99.09	.803	--
Religiosity	2	.02	[-.14, .19]	.776	72.29	--	--
Length of Relationship	10	.02	[-.01, .06]	.168	60.47	.287	--
Living in Urban Area	7	.02	[-.05, .08]	.606	82.31	--	--
POC vs. White	12	.01	[-.07, .10]	.749	87.24	.095	--
Unemployment	34	.01	[-.03, .05]	.600	93.20	.400	--
Hispanic vs White	3	.00	[-.14, .15]	.977	85.62	--	--
Immigrant Status	5	-.02	[-.17, .12]	.778	90.73	--	--
Married	21	-.06	[-.14, .01]	.105	95.17	.901	--
Living with others (not partner)	2	-.07	[-.42, .30]	.727	89.87	--	--

Note. *k* = number of effect sizes; *r* = Pearson's *r*; CI = confidence interval; ▲ = not robust against publication bias; boldface indicates statistical significance.

Discussion

This meta-analysis synthesized data from 143 studies to explore associations between demographic factors and SIPV victimization and perpetration. This study examined SIPV specifically, as opposed to combined forms of IPV, adding to the current literature on the correlates for various types of IPV. The current study

confirms that several risk factors for other forms of IPV are also significant risk factors for SIPV victimization, such as identifying as female, LGBTQ+, or being disabled. The meta-analysis highlighted surprising results such as an insignificant relationship between race and SIPV victimization on a global scale, which warrants further discussion. In addition, the current study highlighted the differences in the risk markers studied between genders, such

Table 3. Demographic Factors as Correlates for Sexual Intimate Partner Violence Perpetration and Victimization among Samples of Men Only

Variable	<i>k</i>	<i>r</i>	95% CI	<i>p</i> -value	<i>I</i> ²	Egger's test (<i>p</i>)	Classic Fail-safe <i>n</i>
Perpetration							
Black vs White	2	.28	[-.12, .61]	.167	70.70	--	--
POC vs White	2	.25	[-.21, .62]	.285	86.48	--	--
Hispanic vs White	2	.15	[-.38, .61]	.589	77.47	--	--
Unskilled Job	2	.11	[-.24, .42]	.565	83.67	--	--
Education (lower)	15	.11	[.04, .19]	.004	94.52	.506	617
Unemployment	11	.09	[.03, .15]	.005	73.38	.316	58▲
BGTQ+ vs. Heterosexual	2	.08	[-.09, .25]	.373	0.00	--	--
Age at First Marriage	2	.03	[-.04, .10]	.416	0.00	--	--
Married	2	.03	[-.37, .42]	.900	89.03	--	--
Age (younger)	11	.03	[-.03, .09]	.343	74.49	.565	--
Income (lower)	5	-.03	[-.09, .03]	.323	0.00	--	--
Length of Relationship	3	-.09	[-.16, -.01]	.027	0.00	--	2▲
Victimization							
POC vs White	3	.14	[-.06, .32]	.162	55.99	--	--
Black vs. White	2	.10	[-.10, .29]	.335	0.00	--	--
Age (younger)	6	.05	[-.02, .13]	.168	61.40	--	--
Unemployment	4	.04	[-.06, .15]	.410	0.00	--	--
Income (lower)	4	.03	[-.13, .18]	.743	83.32	--	--
Education (lower)	6	.02	[-.12, .15]	.804	65.25	--	--
Hispanic vs White	2	-.05	[-.28, .19]	.696	0.00	--	--
Married	2	-.19	[-.27, -.11]	.000	0.00	--	--

Note. *k* = number of effect sizes; *r* = Pearson's *r*; CI = confidence interval; ▲ = not robust against publication bias; boldface indicates statistical significance.

that SIPV perpetration is understudied among women and SIPV victimization is rarely studied among men.

Demographic Factors as Correlates of SIPV Victimization

Additionally, there were several significant demographic factors significantly correlated with SIPV victimization, with the strongest being bisexual compared to heterosexual. The current meta-analysis also demonstrates that bisexual individuals are at even higher risk for SIPV victimization than LGBTQ+ folks generally, which has been found previously in research on U.S. university students (Cantor et al., 2020). Previous literature has posited that biphobia and jealousy may explain this increased risk, especially when the victim's partner is not bisexual (Turell et al., 2018). Lack of understanding of bisexuality can also lead to stereotyping and oversexualizing bisexual people, which further highlights the increased risk of SIPV victimization in this population.

Identifying as LGBTQ+ was also a significant risk marker for SIPV victimization among both men and women, which is consistent with studies of LGBTQ+ participants in college-aged samples (Spencer et al., 2024). These findings align with previous research that lesbian women, bisexual women, gay men, and bisexual men were found to have experienced SIPV at a higher rate than their heterosexual counterparts (Chen et al., 2023). While care interventions designed for this population do exist, there is little evidence of implementation, evaluation, and effectiveness. The findings from the study suggest that members of the LGBTQ+ community, and especially those who identify as bisexual, are at an increased risk for SIPV victimization and intervention and prevention efforts, as well as resources for this population are needed. For example, queer women have identified challenges in seeking resources for IPV victimization, such as the fact that their abusers have the opportunity to invade spaces that were supposed to be safe (e.g., domestic violence shelters) due to the fact that their perpetrator was also a woman (Harden et al., 2022).

The next strongest factor correlated with SIPV victimization was having a disability. For samples of only women, having a disability was the strongest correlate for SIPV victimization. Previous research has found that having a disability is a strong risk marker, with some finding as much as two times the likelihood of experiencing sexual victimization compared to able-bodied persons (Mailhot Amborski et al., 2022; D. L. Smith, 2008). It has been found that this traumatic experience is not limited by gender either, with both women and men alike having an increased risk of sexual IPV if they have a disability (Basile et al., 2022). Although there is a notably higher prevalence rate of sexual IPV among victims with disabilities, there are limitations in care for the population. One study found lack of funding, lack of training, and structural limitations of service facilities as limiting factors to providing accommodating services to women with disabilities (Chang et al., 2003). Additionally, a victim's disability may increase dependency on their abusive partner, which may further complicate or lengthen their relationship (Thomas & Weston, 2020). Previous research has examined additional variables that further increased the risk of abuse among women with disabilities, such as being unemployed and being younger in age (D. L. Smith, 2008). This suggests the importance of examining how multiple demographic factors can influence the risk of SIPV victimization. Findings from the study suggest a need for resources designed for victims of IPV to take into account individuals with disabilities and potential barriers they may face when seeking resources or help.

The meta-analysis also revealed marriage as a significant protective factor for SIPV victimization among men but not among women. Moreover, being married was the only protective factor for SIPV victimization among men, which is a unique finding of this study. Further, a previous meta-analysis on physical IPV victimization has examined the relationship between marriage and physical IPV

victimization among men, and the results were insignificant (Spencer, Stith, et al., 2019). Therefore, the current meta-analysis provides valuable insight into marriage as a protective factor, specifically when examining risk for SIPV victimization among men. However, this relationship was not significant among women. Some findings suggest marriage might be a protective factor against women's victimization of SIPV, while other studies suggest the opposite, highlighting another area for further investigation (Cherlin et al., 2004; Spencer, Mendez, et al., 2019; Spencer et al., 2022; Yakubovich et al., 2018).

Younger age correlated with increased risk of SIPV victimization for females in the current study. Multiple studies have examined correlates for sexual assault (SA) in college-aged populations (Cantor et al., 2020; Edwards & Sylaska, 2013; Spencer et al., 2023; Spencer et al., 2024). However, previous research has not found a significant correlation between lower age and risk of SIPV victimization within-cohort. Rather, Spencer et al. (2023) found that risk of victimization increased along with respondents' year in school. A similar study among adolescents also found that year in school correlated with SIPV victimization risk (Meadows et al., 2022). Based on these findings, it appears that the risk of SIPV victimization increases when people enter the young adult cohort. The findings of the current study are in line with national data on SIPV, which shows that over 80% of female victims experience their first rape before age 25 (Basile et al., 2022). Considering this trend, future research on SIPV should continue to monitor and refine the factors that contribute to young adults' risk of victimization.

In the current study, polygamy and polyamory were combined due to low amounts of studies examining these separately in relation to SIPV, and was found to be significantly associated with SIPV victimization among women. Polygamy as a relationship structure is a sociocultural factor often practiced outside of the U.S., mostly in sub-Saharan African countries, and has been found to be a risk factor for women experiencing SIPV victimization (Ahinkorah, 2021; Ebrahim & Atteraya, 2021; Issahaku, 2017). Polyamory, or open relationships, are relationship structures that are practiced all around the world, and research has suggested that there may be a link between non-monogamy and SIPV victimization for women in relationships, particularly bisexual women who have a male partner (Head & Milton, 2014; Turell et al., 2018). More research ought to be done examining these relationship structures separately and how they pertain to SIPV victimization among women, attuning to sexual orientation, geographic location, and culture.

Demographic Correlates for SIPV Perpetration

The sole protective factor for SIPV perpetration was being a woman compared to being a man, implying that women are less likely to perpetrate sexual IPV when compared to men. These findings align with previous research that found that most female victims of SIPV reported only male perpetrators (Chen et al., 2023). For male victims, there was a more varied distribution, with the study finding male perpetrators reported by 75.3% of gay victims, 31.4% for bisexual victims, and 22.6% for heterosexual victims. The findings from this meta-analysis highlight the notion that men are more likely to perpetrate sexual IPV compared to women.

For men, the only correlate for SIPV perpetration that was robust against publication bias was having a lower education. This is in line with previous research which demonstrates that men with a low education were at higher risk for IPV perpetration than those with high education (Vyas & Heise, 2016). However, the literature points out that the relationship between male and female partners' levels of education may be more significant. Previous studies have found that men with lower education than their female spouses were at higher risk for perpetration (Dildar, 2021) and that women with a

lower level of education were at decreased risk of IPV victimization (Larsen et al., 2021). The current analysis shows a significant, though weak positive correlation between women's low education and SIPV victimization. The complexity of these findings highlights the need to study the interrelationship between male and female partners' level of education in order to confirm or rule out what Dildar (2021) calls a "backlash effect" when studying men's risk of IPV perpetration.

The study also revealed a significant relationship between unemployment and SIPV perpetration among men only, in line with previous literature (Bhalotra et al., 2021; Bourey et al., 2022; Dhanaraj & Mahambare, 2022). Previous literature suggests that this often is observed in heterosexual relationships where the woman is employed and the man is not, increasing risk for male perpetration which may be due, in part, to gender norms (Bhalotra et al., 2021; Bourey et al., 2022; Dhanaraj & Mahambare, 2022; Tur-Prats, 2021). Male perpetration of SIPV might make sense in the face of unemployment in a household where traditional gender roles are adhered to and/or the man is the primary breadwinner due to a felt sense of threat toward their role (Alonso-Borrego & Carrasco, 2017). Nonetheless, our analysis indicated this relationship remains trivial and is not robust against publication bias. Therefore, further research is needed to provide more accurate knowledge of this potential relationship. It is important to note that unemployment was not examined as a risk factor for women's perpetration of SIPV. This may be due to traditional gender roles held in many countries/provinces where it is more common for men to be the breadwinner compared to women and men contributing to household income (Tur-Prats, 2021). Regardless, this relationship may be important to examine since there are relationships where women are the main contributors to household income; thus, losing their job may cause threat to their role and potentially their relationship.

Gaps in the Current Literature

This meta-analysis also highlights large gaps in the literature regarding demographic factors associated with women's perpetration of SIPV and men's victimization of SIPV. Namely, younger age and lower income were examined as correlates of SIPV victimization among men the most of any single factor, which only included six studies. Along with this, there were no demographic factors examined as correlates for women's perpetration of SIPV found in at least two unique studies. For example, being a member of the LGBTQ+ community and sexual IPV perpetration was examined among men, but not for women. This may be due to stereotypes about the absence of violence for women in the LGBTQ+ community in same-sex relationships that has been coined as "lesbian utopia," meaning women in relationships with women don't experience violence. Literature suggests that this bias or notion of utopia came from "lesbian feminism" (i.e., woman-to-woman relationships are equal, non-exploitative, and non-violent; Barnes, 2007, 2011). Therefore, violence in these relationships is a contradiction to this utopia and lesbian feminism, yet it still occurs (Barnes, 2007, 2011). Violence perpetration is also common among women in relationships, whether same-sex or heterosexual (Leemis et al., 2022; Sutter et al., 2018). Moreover, violence in woman-to-woman relationships, especially perpetration, has been heavily understudied due to these stereotypes and the desire to break free from traditional patriarchal norms; thus, further research on sexual violence in these relationships is necessary to inform prevention and practice in woman-to-woman relationships. Overall, our results highlight significant gaps in research regarding the link between demographic factors and sexual IPV perpetration for women and sexual IPV victimization for men.

Among all participants combined, as well as men and women separately, our meta-analysis revealed a lack of studies examining the relationship between SIPV perpetration and victimization and

race, highlighting a need for further investigation. Further, race was not found to be a significant risk marker of SIPV victimization when comparing POC, Black, and Hispanic participants to White participants. This might be due to the lower number of studies examining these relationships, as previous studies have noted that American women who identify as multiracial (i.e., American Indian/Alaska Native, non-Hispanic Black) are at a significantly increased risk for sexual violence victimization compared to White women (Basile et al., 2022; Breiding et al., 2014). Therefore, future research ought to investigate this further to provide a broader understanding of this potential relationship. It is also important to note that studies included in the analysis were from countries around the world, and examining the relationship between race and ethnicity and SIPV may differ depending on the country or location the study was conducted.

Implications

Previous literature has found that SIPV exposure has a damaging effect on public health, including physical disease and injury, as well as comorbid mental health issues, such as major depression and PTSD (Basile et al., 2022; Zinzow et al., 2012). SIPV victims are also at higher risk of other forms of IPV exposure, which vary in terms of their cost to health systems across the globe (Krebs et al., 2011; Walby & Olive 2014). The findings in this study demonstrate demographic information that may allow health service agencies, governments, and other professionals to identify and screen for SIPV at an earlier stage of exposure, preventing further harm in the process. Policy changes that increase early interventions for at risk populations may serve to curb health costs and concerns related to SIPV exposure.

Limitations & Future Research

Several limitations were present in the current analysis. For example, no studies examined the risk of SIPV perpetration among women only. By contrast, comparatively few studies examined the risk of SIPV victimization among men, which is a well-established gap in the literature. Future research should work to fill these gaps by considering correlates of SIPV for female perpetrators and male victims. Another considerable limitation is that many variables included in the meta-analysis were only examined in two or three studies. Meta-analyses with less than five included studies may lack power (Jackson & Turner, 2017). Although it is important to highlight the variables examined in few studies, future research on these variables is warranted in order to draw more generalizable conclusions. Additionally, multiple factors in the current study were not robust against publication bias. More studies examining lesser-studied variables are needed to combat this issue in future research on demographic correlates for SIPV.

As mentioned above, the meta-analysis relied heavily on research conducted in the United States. This could have an impact on the generalizability of findings related to marriage, a state-sanctioned relationship that may have varying norms of appropriate behavior across cultures. Income level, which is frequently related to in-country wealth differences, could also be affected by this geographic weighting. Furthermore, findings about risk of SIPV in LGBTQ+ populations (e.g., Harden et al., 2022; Turell, 2000) were reliant on data from Western countries. Further research is needed to confirm if these risk factors hold in different cultures and nations across the globe.

Another limitation of this meta-analysis is that some of the factors included may be confounded by complex relationships between factors within a couple dyad. Specifically, previous studies have demonstrated a correlation between IPV exposure and a difference in unemployment status between male and female participants

(Bhalotra et al., 2021; Bourey et al., 2022; Dhanaraj & Mahambare, 2022). Other research has found a correlation between a difference in education level within a couple and increased IPV exposure (Vyas & Heise, 2016). The current meta-analysis was unable to capture this complexity, highlighting the need for future research to keep these established relationships in mind when working to understand the risk factors for SIPV.

As mentioned above, the current study found that identifying as LGBTQ+ or bisexual correlated with increased risk of SIPV victimization, particularly in women, and SIPV perpetration in both men and women. In the current meta-analysis, transgender and non-binary (TNB) individuals were only identified in one study (Turell, 2000). Within that study, only 7 out of 499 participants identified as transgender and no participants endorsed a non-binary identity. This highlights a significant gap in the literature. Survey measures often do not provide “transgender” as an option and non-binary individuals tend to endorse “transgender” when they are not able to endorse a more nuanced identity. This, in effect, makes TNB people largely invisible in the extant literature. An additional difficulty in researching the TNB population is that individuals often endorse a myriad of labels to describe their gender (Richards et al., 2016). Though it may be difficult to gain momentum due to this challenge with gender labels, it behooves the research community to pay closer attention to how TNB participants are included or excluded in future research on SIPV.

One noted strength of this study is its focus on SIPV as a distinct form of IPV. This distinction illuminates trends in the literature that have not previously been captured on an international scale. SIPV is complex, however, especially when recorded by self-report measures. While the sources in this analysis addressed varied forms of SIPV, the current study combined these definitions to consolidate the effect of demographic factors on combined SIPV risk. Previous research has hypothesized that men endorse SIPV victimization more frequently when measures refer to sexual coercion rather than forced sex or rape, likely due to social desirability bias (Scott-Storey, 2022). Gender norms clearly have an impact on the current understanding of sexual violence victimization. Future research is needed to further distinguish between different types of SIPV, especially in international samples.

Conclusion

The present study demonstrates that several demographic factors increase the risk of SIPV perpetration and victimization. This represents an important shift in the research on SIPV as SIPV and physical IPV have previously been conflated in global research on IPV. This study also highlights a gendered research gap between risks for SIPV perpetration and victimization. Male participants are often studied for SIPV perpetration and rarely for victimization while the inverse is true for female populations. In addition, a significant gap was identified regarding transgender and non-binary (TNB) people's experiences of SIPV. Race and ethnicity were also understudied and confounded by the cultural contexts of international studies. Future research should address these concerns to strengthen the findings on risk factors for SIPV across the globe.

Conflict of Interest

The authors of this article declare no conflict of interest.

References

References marked with an asterisk indicate studies included in the meta-analyses

*Abrahams, N., Jewkes, R., Hoffman, M., & Laubsher, R. (2004). Sexual violence against intimate partners in Cape Town: Prevalence and risk

factors reported by men. *Bulletin of the World Health Organization*, 82(5), 330-337. <https://www.scielo.org/pdf/bwho/v82n5/v82n5a06.pdf>

*Abujilban, S., Mryan, L., Hamaideh, S., Obeisat, S., & Damra, J. (2022). Intimate partner violence against pregnant Jordanian women at the time of COVID-19 pandemic's quarantine. *Journal of Interpersonal Violence*, 37(5-6), NP2442-NP2464. <https://doi.org/10.1177/0886260520984259>

*Afe, T. O., Emedoh, T. C., Ogunsemi, O., & Adegbolun, A. A. (2016). Intimate partner violence, psychopathology and the women with schizophrenia in an outpatient clinic South-South, Nigeria. *BioMed Central Psychiatry*, 16, Article 197. <https://doi.org/10.1186/s12888-016-0898-2>

Ahinkorah, B. O. (2021). Polygyny and intimate partner violence in sub-Saharan Africa: Evidence from 16 cross-sectional demographic and health surveys. *SSM - Population Health*, 13, Article 100729. <https://doi.org/10.1016/j.ssmph.2021.100729>

*Ahmadi, R., Soleimani, R., Jalali, M. M., Yousefnezhad, A., Roshandel Rad, M., & Eskandari, A. (2017). Association of intimate partner violence with sociodemographic factors in married women: A population-based study in Iran. *Psychology, Health & Medicine*, 22(7), 834-844. <https://doi.org/10.1080/13548506.2016.1238489>

*Ali, T. S. (2011). *Living with violence in the home: Exposure and experiences among married women, residing in Urban Karachi, Pakistan*. ProQuest Dissertations & Theses.

Alonso-Borrego, C., & Carrasco, R. (2017). Employment and the risk of domestic violence: Does the breadwinner's gender matter? *Applied Economics*, 49(50), 5074-5091. <https://doi.org/10.1080/00036846.2017.1299103>

*Ashenafi, W., Mengistie, B., Egata, G., & Berhane, Y. (2020). Prevalence and associated factors of intimate partner violence during pregnancy in Eastern Ethiopia. *International Journal of Women's Health*, 12, 339-358. <https://doi.org/10.2147/IJWH.S246499>

*Balogun, M. O., Owoaje, E. T., & Fawole, O. I. (2012). Intimate partner violence in Southwestern Nigeria: Are there rural-urban differences? *Women & Health*, 52(7), 627-645. <https://doi.org/10.1080/03630242.2012.707171>

Barnes, R. (2007). *Woman-to-Woman Partner Abuse: A Qualitative Analysis* (Unpublished PhD thesis). University of Nottingham.

Barnes, R. (2011). 'Suffering in a silent vacuum': Woman-to-woman partner abuse as a challenge to the lesbian feminist vision. *Feminism & Psychology*, 21(2), 233-239. <https://doi.org/10.1177/0959353510370183>

*Barrett, B. J., Fitzgerald, A., Stevenson, R., & Cheung, C. H. (2020). Animal maltreatment as a risk marker of more frequent and severe forms of intimate partner violence. *Journal of Interpersonal Violence*, 35(23-24), 5131-5156. <https://doi.org/10.1177/0886260517719542>

*Basile, K. C., Arias, I., Desai, S., & Thompson, M. P. (2004). The differential association of intimate partner physical, sexual, psychological, and stalking violence and posttraumatic stress symptoms in a nationally representative sample of women. *Journal of Traumatic Stress*, 17(5), 413-421. <https://doi.org/10.1023/B:JOTS.0000048954.50232.d8>

Basile, K. C., Smith, S. G., Kresnow, M., Khatiwada S., & Leemis, R. W. (2022). *The National Intimate Partner and Sexual Violence Survey: 2016/2017 Report on Sexual Violence*. National Center for Injury Prevention and Control, Centers for Disease Control and Prevention. <https://www.cdc.gov/nisvs/documentation/nisvsReportonSexualViolence.pdf>

*Bell, K. M., & Naugle, A. E. (2007). Effects of social desirability on students' self-reporting of partner abuse perpetration and victimization. *Violence and Victims*, 22(2), 243-256. <https://doi.org/10.1891/088667007780477348>

Bhalotra, S., Kambhampati, U., Rawlings, S., & Siddique, Z. (2021). Intimate partner violence: The influence of job opportunities for men and women. *The World Bank Economic Review*, 35(2), 461-479. <https://doi.org/10.1093/wber/lhz030>

*Bhochhibhoya, S., Maness, S. B., Cheney, M., & Larson, D. (2021). Risk factors for sexual violence among college students in dating relationships: An ecological approach. *Journal of Interpersonal Violence*, 36(15-16), 7722-7746. <https://doi.org/10.1177/0886260519835875>

*Bloom, B. E., Hamilton, K., Adeke, B., Tuhebwe, D., Atuyambe, L. M., & Kiene, S. M. (2022). 'Endure and excuse': A mixed-methods study to understand disclosure of intimate partner violence among women living with HIV in Uganda. *Culture, Health & Sexuality*, 24(4), 499-516. <https://doi.org/10.1080/13691058.2020.1861328>

*Bonomi, A. E., Anderson, M. L., Rivara, F. P., & Thompson, R. S. (2007). Health outcomes in women with physical and sexual intimate partner violence exposure. *Journal of Women's Health*, 16(7), 987-997. <https://doi.org/10.1089/jwh.2006.0239>

Borenstein, M., Hedges, L. V., Higgins, J. P. T., & Rothstein, H. R. (2010). A basic introduction to fixed-effect and random-effects models for meta-analysis. *Research Synthesis Methods*, 1(2), 97-111. <https://doi.org/10.1002/jrsm.12>

Borenstein, M., Hedges, L., Higgins, J., & Rothstein, H. (2022). *Comprehensive meta-analysis Version 4 [Software]*. Biostat.

Bourey, J., Bass, J., & Stephenson, R. (2022). Women's employment and intimate partner violence: Understanding the role of individual and community structural drivers in low- and middle-income countries. *Journal of Interpersonal Violence*, 38(9-10), 6480-6499. <https://doi.org/er.lib.k-state.edu/10.1177/08862605221134086>

- *Boyce, S. C., McDougal, L., Silverman, J.G., Atmavilas, Y., Dhar, D., Hay, K., & Raj, A. (2017). Associations of intimate partner violence with postnatal health practices in Bihar, India. *BioMed Central Pregnancy Childbirth*, 17, Article 398. <https://doi.org/10.1186/s12884-017-1577-0>
- *Breet, E., Seedat, S., & Kagee, A. (2019). Posttraumatic stress disorder and depression in men and women who perpetrate intimate partner violence. *Journal of Interpersonal Violence*, 34(10), 2181-2198. <https://doi.org/10.1177/0886260516660297>
- Breiding, M. J., Smith, S. G., Basile, K. C., Walters, M. L., Chen, J., & Merrick, M. T. (2014). Prevalence and characteristics of sexual violence, stalking, and intimate partner violence victimization—National intimate partner and sexual violence survey, United States, 2011. *MMWR. Surveillance Summaries*, 63(8), 1-18.
- Cantor, D., Fisher, B., Chibnall, S., Townsend, R., Lee, H., Bruce, C., & Thomas, G. (2020). *Report on the Association of American Universities (AAU) campus climate survey on sexual assault and sexual misconduct*. [https://www.aau.edu/sites/default/files/AAU-Files/Key-Issues/Campus-Safety/Revised%20Aggregate%20report%20%20and%20appendices%201-7_\(01-16-2020_FINAL\).pdf](https://www.aau.edu/sites/default/files/AAU-Files/Key-Issues/Campus-Safety/Revised%20Aggregate%20report%20%20and%20appendices%201-7_(01-16-2020_FINAL).pdf)
- Card, N. A. (2012). *Applied meta-analysis for social science research*. The Guilford Press.
- *Cavanaugh, C. E., Messing, J. T., Amanor-Boadu, Y., O'Sullivan, C. S., Webster, D., & Campbell, J. (2014). Intimate partner sexual violence: A comparison of foreign- versus US-born physically abused Latinas. *Journal of Urban Health*, 91(1), 122-135. <https://doi.org/10.1007/s11524-013-9817-8>
- *Chan, K. L. (2001). Correlates for childhood sexual abuse and intimate partner sexual victimization. *Partner Abuse*, 2(3), 365-381. <https://doi.org/10.1891/1946-6560.2.3.365>
- *Chan, K. L., Yan, E., Brownridge, D. A., Tiwari, A., & Fong, D. Y. T. (2011). Childhood sexual abuse associated with dating partner violence and suicidal ideation in a representative household sample in Hong Kong. *Journal of Interpersonal Violence*, 26(9), 1763-1784. <https://doi.org/10.1177/0886260510372943>
- Chang, J. C., Martin, S. L., Moracco, K. E., Dulli, L., Scandlin, D., Loucks-Sorrel, M. B., Turner, T., Starsoneck, L., Dorian, P. N., & Bou-Saada, I. (2003). Helping women with disabilities and domestic violence: Strategies, limitations, and challenges of domestic violence programs and services. *Journal of Women's Health*, 12(7), 699-708. <https://doi.org/10.1089/154099903322404348>
- *Chaquisse, E., Fraga, S., Meireles, P., Macassa, G., Soares, J., Mbofana, F., & Barros, H. (2018). Sexual and physical intimate partner violence among women using antenatal care in Nampula, Mozambique. *Journal of Public Health in Africa*, 9(1), Article 744. <https://doi.org/10.4081/jphia.2018.744>
- *Chatterji, S., Johns, N., Ghule, M., Begum, S., Averbach, S., Battala, M., & Raj, A. (2023). Examining the longitudinal relationship between intimate partner violence and couples' marital quality in rural India. *Journal of Family Violence*, 38(6), 139-148. <https://doi.org/10.1007/s10896-022-00363-z>
- Chen, J., Khatiwada, S., Chen, M. S., Smith, S. G., Leemis, R. W., Friar, N., Basile, K. C., and Kresnow, M. (2023). *The National Intimate Partner and Sexual Violence Survey (NISVS) 2016/2017: Report on victimization by sexual identity*. National Center for Injury Prevention and Control, Centers for Disease Control and Prevention. <https://www.cdc.gov/nisvs/documentation/nisvsReportonSexualIdentity.pdf>
- Cherlin, A. J., Burton, L. M., Hurt, T. R., & Purvin, D. M. (2004). The influence of physical and sexual abuse on marriage and cohabitation. *American Sociological Review*, 69(6), 768-789. <https://doi.org/10.1177/000312240406900602>
- *Chibber, K. S., Krupp, K., Padian, N., & Madhivanan, P. (2012). Examining the determinants of sexual violence among young, married women in southern India. *Journal of Interpersonal Violence*, 27(12), 2465-2483. <https://doi.org/10.1177/0886260511433512>
- *Cho, I. J. (2007). *The effects of individual, family, social, and cultural factors on spousal abuse in Korean American male adults* (Publication No. 3304724). (Doctoral dissertation). University of California, Los Angeles. ProQuest Dissertations & Theses Global.
- *Clark, C. J., Ferguson, G., Shrestha, B., Shrestha, P. N., Oakes, J. M., Gupta, J., McGhee, S., Cheong, Y. F., & Yount, K. M. (2018). Social norms and women's risk of intimate partner violence in Nepal. *Social Science & Medicine*, 202, 162-169. <https://doi.org/10.1016/j.socscimed.2018.02.017>
- *Cole, J., Logan, T. K., & Shannon, L. (2005). Intimate sexual victimization among women with protective orders: Types and associations of physical and mental health problems. *Violence and Victims*, 20(6), 695-715. <https://doi.org/10.1891/088667005780927430>
- *Conroy, A. A. (2014). Marital infidelity and intimate partner violence in rural Malawi: A dyadic investigation. *Archives of Sexual Behavior*, 43(1), 1303-1314. <https://doi.org/10.1007/s10508-014-0306-2>
- *Conroy, A.A., Tsai, A. C., Clark, G. M., Boum, Y., Hatcher, A. M., Kawuma, A., Hunt, P. W., Martin, J. N., Bangsberg, D. R., & Weister, S. D. (2016). Relationship power and sexual violence among HIV-positive women in rural Uganda. *AIDS and Behavior*, 20(9), 2045-2053. <https://doi.org/10.1007/s10461-016-1385-y>
- *Costa, D., Hatzidimitriadou, E., Ioannidi-Kapolou, E., Lindert, J., Soares, J., Sundin, O., Toth, O., Barros, H. (2015). Intimate partner violence and health-related quality of life in European men and women: Findings from the DOVE study. *Quality of Life Research*, 24(2), 463-471. <https://doi.org/10.1007/s11136-014-0766-9>
- *Coston, B. M. (2021). Power and Inequality: Intimate partner violence against bisexual and non-monosexual women in the United States. *Journal of Interpersonal Violence*, 36(1-2), 381-405. <https://doi.org/10.1177/0886260517726415>
- *Crane, C. A., Schlauch, R. C., & Miller, K. E. (2019). Caffeinated alcoholic beverages and intimate partner violence victimization. *Journal of Caffeine and Adenosine Research*, 9(2), 60-63. <https://doi.org/10.1089/caff.2018.0018>
- Cumming, G. (2012). *Understanding the new statistics: Effect sizes, confidence intervals, and meta-analysis*. Routledge.
- *Dardis, C. M., Edwards, K. M., Kelley, E. L., & Gidycz, C. A. (2017). Perceptions of dating violence and associated correlates: A study of college young adults. *Journal of Interpersonal Violence*, 32(21), 3245-3271. <https://doi.org/10.1177/0886260515597439>
- *Dardis, C. M., Shepherd, J. C., & Iverson, K. M. (2017). Intimate partner violence among women veterans by sexual orientation. *Women & Health*, 57(7), 775-791. <https://doi.org/10.1080/03630242.2016.1202884>
- *Davis, R. E., & Renzetti, C. M. (2022). Is religious self-regulation a risk or protective factor for men's intimate partner violence perpetration? *Journal of Interpersonal Violence*, 37(11-12), NP9981-NP10006. <https://doi.org/10.1177/0886260520985497>
- *DePasquale, M. L. (2016). *Relationship type as a predictor of disclosure and social reactions to disclosure of sexual intimate partner violence victimization* (Publication No. 10161780) (Doctoral dissertation). University of New Hampshire. ProQuest Dissertations & Theses Global.
- Dettori, J. R., Norvell, D. C., & Chapman, J. R. (2022). Fixed-effect vs random-effects models for meta-analysis: 3 points to consider. *Global Spine Journal*, 12(7), 1624-1626.
- Dhanaraj, S., & Mahabare, V. (2022). Male backlash and female guilt: Women's employment and intimate partner violence in urban India. *Feminist Economics*, 28(1), 170-198. <https://doi.org/10.1080/13545701.2021.1986226>
- *Dhunge, S., Dhunge, P., Dhital, S. R., & Stock, C. (2017). Is economic dependence on the husband a risk factor for intimate partner violence against female factory workers in Nepal? *BMC Women's Health*, 17, Article 82. <https://doi.org/10.1186/s12905-017-0441-8>
- *Dichter, M. E., & Gelles, R. J. (2012). Women's perceptions of safety and risk following police intervention for intimate partner violence. *Violence Against Women*, 18(1), 44-63. <https://doi.org/10.1177/1077801212437016>
- Dildar, Y. (2021). Is economic empowerment a protective factor against intimate partner violence? Evidence from Turkey. *European Journal of Development Research*, 33(6), 1695-1728. <https://doi.org/10.1057/s41287-020-00311-x>
- *Dunn, H. K., Pearlman, D. N., Montgomery, M. C., & Orchowski, L. M. (2022). Predictors of sexual intimate partner violence perpetration among men: A prospective analysis. *Journal of Interpersonal Violence*, 37(13-14), NP11161-NP11179. <https://doi.org/10.1177/0886260521989735>
- Ebrahim, N. B., & Atteraya, M. S. (2021). Polygyny and intimate partner violence (IPV) among Ethiopian women. *Global Social Welfare: Research, Policy & Practice*, 8(3), 213-220. <https://doi.org/10.1007/s40609-020-00194-0>
- Edwards, K. M., & Sylaska, K. M. (2013). The perpetration of intimate partner violence among LGBTQ college youth: The role of minority stress. *Journal of Youth and Adolescence*, 42(11), 1721-1731. <https://doi.org/10.1007/s10964-012-9880-6>
- *El-Nimr, N. A., Mamdouh, H. M., Ramadan, A., El Saeh, H., & Shata, Z. N. (2021). Intimate partner violence among Arab women before and during the COVID-19 lockdown. *Journal of the Egyptian Public Health Association*, 96(1), Article 15. <https://doi.org/10.1186/s42506-021-00077-y>
- Exner-Cortens, D., Eckenrode, J., & Rothman, E. (2013). Longitudinal associations between teen dating violence victimization and adverse health outcomes. *Pediatrics (Evanston)*, 131(1), 71-78. <https://doi.org/10.1542/peds.2012-1029>
- *Fedele, E., Juster, R. P., & Guay, S. (2022). Stigma and mental health of sexual minority women former victims of intimate partner violence. *Journal of Interpersonal Violence*, 37(23-24), NP22732-NP22758. <https://doi.org/10.1177/08862605211072180>
- *Finneran, C., & Stephenson, R. (2014). Intimate partner violence, minority stress, and sexual risk-taking among U.S. men who have sex with men. *Journal of Homosexuality*, 61(2), 288-306. <https://doi.org/10.1080/00918369.2013.833911>
- *Folayan, M. O., Oloniniyi, I. O., Nwakamma, I., Stevens-Murphy, E.-J., Undelikwo, G., & Lusher, J. (2022). Associations between sexual identity, living with disability, bully victimisation, and HIV status and intimate partner violence among residents in Nigeria. *BMC Public Health*, 22, Article 1756. <https://doi.org/10.1186/s12889-022-14186-6>
- *Frye, V., El-Bassel, N., Gilber, L., Rajah, V., & Christie, N. (2001). Intimate partner sexual abuse among women on methadone. *Victims and Violence*, 16(5), 553-564. <https://www.proquest.com/openview/af90184fcaa82addcd74928a39e7413/1?pq-origsite=gscholar&cbl=45619>
- *Gage, A. J. (2005). Women's experience of intimate partner violence in Haiti. *Social Science & Medicine*, 61(2), 343-364. <https://doi.org/10.1016/j.socscimed.2004.11.078>

- *Garg, P., Das, M., Goyal, L.D., & Verma, M. (2021). Trends and correlates of intimate partner violence experienced by ever-married women of India: Results from National Family Health Survey round III and IV. *BMC Public Health*, 21, Article 2012. <https://doi.org/10.1186/s12889-021-12028-5>
- *German, D., Dejman, M., Salimi, Y., Murray, S., Assari, S., Bass, J., Flynn, C., & Shushtari, Z. J. (2021). Physical and sexual intimate partner violence and psychological distress among injection drug users in Baltimore. *Violence and Gender*, 8(4), 198-207. <https://doi.org/10.1089/vio.2020.0056>
- *Grom, J. L., Crane, C., Leone, R. M., Parrott, D. J., & Eckhardt, C. (2021). Sexual violence perpetration within intimate relationships: An I3 model analysis of the effects of sexual violence victimization and psychological flexibility. *Sexual Abuse*, 33(1), 114-132. <https://doi.org/10.1177/1079063219877176>
- *Grose, R. G., & Grabe, S. (2014). The explanatory role of relationship power and control in domestic violence against women in Nicaragua: A feminist psychology analysis. *Violence Against Women*, 20(8), 972-993. <https://doi.org/10.1177/1077801214546231>
- *Gubi, D., Nansubuga, E., & Wandera, S. O. (2020). Correlates of intimate partner violence among married women in Uganda: A cross-sectional survey. *BMC Public Health*, 20, Article 1008. <https://doi.org/10.1186/s12889-020-09123-4>
- *Gul, H., Gul, A., & Kara, K. (2020). Intimate partner violence (IPV) types are common among Turkish women from high socioeconomic status and have differing effects on child abuse and contentment with life. *Northern Clinics of Istanbul*, 7(4), 359-365. <https://jag.journalagent.com/nci/pdfs/NCI-46514-RESEARCH-ARTICLE-GUL.pdf>
- *Hammett, J. F., & Davis, K. C. (2022). Greater perceptions of economic deprivation in childhood are associated with more sexual risk behaviors in adulthood via younger age of sexual initiation. *Journal of Psychosexual Health*, 4(3), 185-188. <https://doi.org/10.1177/26318318221102375>
- Harden, J., McAllister, P., Spencer, C. M., & Stith, S. M. (2022). The dark side of the rainbow: Queer women's experiences of intimate partner violence. *Trauma, Violence, & Abuse*, 23(1), 301-313. <https://doi.org/10.1177/1524838020933869>
- *Hayes, B. E., & Randa, R. (2021). Parts unknown: risk factors of intimate partner violence in Azerbaijan, Kyrgyzstan, Tajikistan, and Moldova. *Journal of Interpersonal Violence*, 36(5-6), NP3346-NP3368. <https://doi.org/10.1177/0886260518772105>
- *Hazen, A. L., & Soriano, F. I. (2007). Experiences with intimate partner violence among Latina women. *Violence Against Women*, 13(6), 562-582. <https://doi.org/10.1177/1077801207301558>
- Head, S., & Milton, M. (2014). Filling the silence: Exploring the bisexual experience of intimate partner abuse. *Journal of Bisexuality*, 14(2), 277-299. <https://doi.org/10.1080/15299716.2014.903218>
- Higgins, J. P. T., Thomas, J., Chandler, J., Cumpston, M., Li, T., Page, M. J., & Welch, V. A. (Eds.). (2022). *Cochrane Handbook for Systematic Reviews of Interventions* (version 6.3). <https://training.cochrane.org/handbook>
- *Hoffmann, A. M., & Verona, E. (2021). Psychopathic traits and sexual coercion against relationship partners in men and women. *Journal of Interpersonal Violence*, 36(3-4), 1788-1809. <https://doi.org/10.1177/0886260518754873>
- *Holmes, S. C., Johnson, N. L., Zlotnick, C., Sullivan, T. P., & Johnson, D. M. (2022). The association between demographic, mental health, and intimate partner violence victimization variables and undergraduate women's intimate partner violence perpetration. *Journal of Interpersonal Violence*, 37(1-2), 33-57. <https://doi.org/10.1177/0886260520907354>
- *Honda, T., Wynter, K., Yokota, J., Tran, T., Ujiie, Y., Niwa, M., Nakayama, M., Ito, F., Kim, Y., Fisher, J., & Kamo, T. (2018). Sexual violence as a key contributor to poor mental health among Japanese women subjected to intimate partner violence. *Journal of Women's Health*, 27(5), 716-723. <https://doi.org/10.1089/jwh.2016.6276>
- *Hou, J., Yu, L., Ting, S.-M. R., Sze, Y. T., & Fang, X. (2011). The status and characteristics of couple violence in China. *Journal of Family Violence*, 26(2), 81-92. <https://doi.org/10.1007/s10896-010-9343-3>
- *Huang, Y. (2010). *Intimate partner violence, depression and overweight/obesity-A population-based study on women in 7 US states* (Master's thesis). University of Nevada, Reno. UNR Scholar Works. <http://hdl.handle.net/11714/4289>
- Hunter, J. E., & Schmidt, F. L. (Eds.). (2004). *Methods of meta-analysis: Correcting error and bias in research findings*. Sage.
- *Islam, M. S. (2020). Intimate partner sexual violence against women in Sylhet, Bangladesh: Some risk factors. *Journal of Biosocial Science*, 54(1), 54-76. <https://doi.org/10.1017/S002193202000067X>
- Issahaku, P. A. (2017). Correlates of intimate partner violence in Ghana. *SAGE Open*, 7(2), 215824401770986. <https://doi.org/10.1177/2158244017709861>
- *Iverson, K. M., Dardis, C. M., Grillo, A. R., Galovski, T. E., & Pogoda, T. K. (2019). Associations between traumatic brain injury from intimate partner violence and future psychosocial health risks in women. *Comprehensive Psychiatry*, 92, 13-21. <https://doi.org/10.1016/j.comppsy.2019.05.001>
- *Iverson, K. M., McLaughlin, K. A., Adair, K. C., & Monson, C. M. (2014). Anger-related dysregulation as a factor linking childhood physical abuse and interparental violence to intimate partner violence experiences. *Violence and Victims*, 29(4), 564-578. <https://doi.org/10.1891/0886-6708.VV-D-12-00125>
- *Izmirlir, G. O., Sonmez, Y., & Sezik, M. (2014). Prediction of domestic violence against married women in southwestern Turkey. *International Journal of Gynecology & Obstetrics*, 127(3), 288-292. <https://doi.org/10.1016/j.ijgo.2014.06.011>
- *Jabbi, A., Ndow, B., Senghore, T., Sanyang, E., Kargbo, J. C., & Bass, P. (2020). Prevalence and factors associated with intimate partner violence against women in The Gambia: A population-based analysis. *Women & Health*, 60(8), 912-928. <https://doi.org/10.1080/03630242.2020.1767264>
- Jackson, D., & Turner, R. (2017). Power analysis for random-effects meta-analysis. *Research Synthesis Methods*, 8(3), 290-302. <https://doi.org/10.1002/jrsm.1240>
- *Jewkes, R., Otworkbe, K., Dunkle, K., Milovanovic, M., Hlongwane, K., Jaffer, M., Matuludi, M., Mbokane, V., Hopkins, K. L., Hill, N., Gray, G., & Coetzee, J. (2021). Sexual IPV and non-partner rape of female sex workers: Findings of a cross-sectional community-centric national study in South Africa. *SSM-Mental Health*, 1, Article 100012. <https://doi.org/10.1016/j.ssmmh.2021.100012>
- *Jung, H., Herrenkohl, T. I., Skinner, M. L., Lee, J. O., Klika, J. B., & Rousson, A. N. (2019). Gender differences in intimate partner violence: A predictive analysis of IPV by child abuse and domestic violence exposure during early childhood. *Violence Against Women*, 25(8), 903-924. <https://doi.org/10.1177/1077801218796329>
- *Kapadia, M. Z., Saleem, S., & Karim, M. S. (2010). The hidden figure: Sexual intimate partner violence among Pakistani women. *European Journal of Public Health*, 20(2), 164-168. <https://doi.org/10.1093/eurpub/ckp110>
- *Katz, J., & Tirone, V. (2010). Going along with it: Sexually coercive partner behavior predicts dating women's compliance with unwanted sex. *Violence Against Women*, 16(7), 730-742. <https://doi.org/10.1177/1077801210374867>
- Kebede, S., Van Harmelen, A.-L., & Roman-Urrestarazu, A. (2021). Wealth inequality and intimate partner violence: An individual and ecological level analysis across 20 countries. *Journal of Interpersonal Violence*, 37(17-18), NP15568-NP15593. <https://doi.org/10.1177/08862605211016337>
- *Kennedy, A. C., Bybee, D., Moylan, C. A., McCauley, H. L., & Prock, K. A. (2021). Predictors of sexual violence across young women's relationship histories. *Journal of Interpersonal Violence*, 36(11-12), NP5944-NP5964. <https://doi.org/10.1177/0886260518811439>
- *Kramer, A., Lorenzon, D., & Mueller, G. (2004). Prevalence of intimate partner violence and health implications for women using emergency departments and primary care clinics. *Women's Health Issues*, 14(1), 19-29. <https://doi.org/10.1016/j.whi.2003.12.002>
- *Krebs, C., Breiding, M. J., Browne, A., & Warner, T. (2011). The association between different types of intimate partner violence experienced by women. *Journal of Family Violence*, 26(6), 487-500. <https://doi.org/10.1007/s10896-011-9383-3>
- Kwagala, B., & Galande, J. (2022). Disability status, partner behavior, and the risk of sexual intimate partner violence in Uganda: An analysis of the demographic and health survey data. *BMC Public Health*, 22(1), 1872-1872. <https://doi.org/10.1186/s12889-022-14273-8>
- *Lamis, D. A., Cavanaugh, C. E., Anastasiades, M. H., Garcia-Williams, A., Anderson, C., & Kaslow, N. J. (2017). Intimate partner sexual coercion mediates the childhood sexual abuse-suicidal ideation link among African American women. *Journal of Black Psychology*, 43(3), 305-324. <https://doi.org/10.1177/0095798416644885>
- Larsen, L. W., Aye, W. T., & Bjertness, E. (2021). Prevalence of intimate partner violence and association with wealth in Myanmar. *Journal of Family Violence*, 36(4), 417-428. <https://doi.org/10.1007/s10896-020-00190-0>
- Leemis R. W., Friar N., Khatiwada S., Chen M. S., Kresnow M., Smith S. G., Caslin, S., & Basile, K. C. (2022). *The National Intimate Partner and Sexual Violence Survey: 2016/2017 Report on intimate partner violence*. National Center for Injury Prevention and Control, Centers for Disease Control and Prevention. https://www.cdc.gov/nisvs/documentation/NISVSReportonIPV_2022.pdf
- *Ler, P., Sivakami, M., & Monárrez-Espino, J. (2020). Prevalence and factors associated with intimate partner violence among young women aged 15 to 24 years in India: A social-ecological approach. *Journal of Interpersonal Violence*, 35(19-20), 4083-4116. <https://doi.org/10.1177/0886260517710484>
- Mailhot Amborski, A., Bussi eres, E. -L., Vaillancourt-Morel, M. -P., & Joyal, C. C. (2022). Sexual violence against persons with disabilities: A meta-analysis. *Trauma, Violence, & Abuse*, 23(4), 1330-1343. <https://doi.org/er.lib.k-state.edu/10.1177/1524838021995975>
- *Malan, M., Spedding, M. F., & Sorsdahl, K. (2018). The prevalence and predictors of intimate partner violence among pregnant women attending a midwife and obstetrics unit in the Western Cape. *Global Mental Health*, 5, Article e18. <https://doi.org/10.1017/gmh.2018.9>
- *Marganski, A. J., Melander, L. A., & DeKeseredy, W. S. (2022). Single, repeat, and poly intimate partner violence victimization among women at a college campus: Extending research through the inclusion of technology-facilitated violence and examining key social determinants

- for intimate partner violence prevention. *Violence Against Women*, 28(12-13), 3013-3036. <https://doi.org/10.1177/10778012211037376>
- *Mason, S. M., Wright, R. J., Hibert, E. N., Spiegelman, D., Forman, J. P., & Rich-Edwards, J. W. (2012). Intimate partner violence and incidence of hypertension in women. *Annals of Epidemiology*, 22(8), 562-567. <https://doi.org/10.1016/j.annepidem.2012.05.003>
- *Maxwell, L. (2017). *The effect of intimate partner violence on women's reproductive health* (Publication No. 28249196) (Doctoral dissertation). McGill University. ProQuest Dissertations & Theses Global.
- *Maxwell, L., Brahmbhatt, H., Ndyababo, A., Wagman, J., Nakigozi, G., Kaufman, J. S., & Nandi, A. (2018). The impact of intimate partner violence on women's contraceptive use: Evidence from the Rakai Community Cohort Study in Rakai, Uganda. *Social Science & Medicine*, 209, 25-32. <https://doi.org/10.1016/j.socscimed.2018.04.050>
- *McFarlane, J., Malecha, A., Watson, K., Gist, J., Batten, E., Hall, I., & Smith, S. (2005). Intimate partner sexual assault against women: Frequency, health consequences, and treatment outcomes. *Obstetrics & Gynecology*, 105(1), 99-108. <https://doi.org/10.1097/01.AOG.0000146641.98665.b6>
- *McFarlane, J., Wiist, W., & Watson, M. (1998). Characteristics of sexual abuse against pregnant Hispanic women by their male intimates. *Journal of Women's Health*, 7(6), 739-745. <https://doi.org/10.1089/jwh.1998.7.739>
- *McMahon, J. M., Chimenti, R., Trabold, N., Fedor, T., Mittal, M., & Tortu, S. (2017). Risk of intimate partner violence and relationship conflict following couple-based HIV prevention counseling: Results from the Harlem River Couples Project. *Journal of Interpersonal Violence*, 32(24), 3709-3734. <https://doi.org/10.1177/0886260515600878>
- Meadows, A. L., Coker, A. L., Bush, H. M., Clear, E. R., Sprang, G., & Brancato, C. J. (2022). Sexual violence perpetration as a risk factor for current depression or posttraumatic symptoms in adolescents. *Journal of Interpersonal Violence*, 37(1-2), 151-171. <https://doi.org/10.1177/0886260520908028>
- *Mengo, C., Okumu, M., Ombayo, B., Nahar, S., & Small, E. (2019). Marital rape and HIV risk in Uganda: The impact of women's empowerment factors. *Violence against Women*, 25(15), 1783-1805. <https://doi.org/10.1177/1077801218821444>
- *Mittal, M., Resch, K., Nichols-Hadeed, C., Stone, J. T., Thevenet-Morrison, K., Faurot, C., & Cerulli, C. (2018). Examining associations between strangulation and depressive symptoms in women with intimate partner violence histories. *Violence and Victims*, 33(6), 1072-1087. <https://doi.org/10.1891/0886-6708.33.6.1072>
- *Mondal, D., & Paul, P. (2021). Prevalence and factors associated with intimate partner violence and related injuries in India: Evidence from National Family Health Survey-4. *Journal of Family Studies*, 29(2), 555-575. <https://doi.org/10.1080/13229400.2021.1947871>
- *Morales-Alemán, M. M., Hageman, K., Gaul, Z. J., Le, B., Paz-Bailey, G., & Sutton, M. Y. (2014). Intimate partner violence and human immunodeficiency virus risk among Black and Hispanic women. *American Journal of Preventive Medicine*, 47(6), 689-702. <https://doi.org/10.1016/j.amepre.2014.08.007>
- *Morash, M., Bui, H., Zhang, Y., & Holtfreter, K. (2007). Risk factors for abusive relationships: A study of Vietnamese American immigrant women. *Violence Against Women*, 13(7), 653-675. <https://doi.org/10.1177/1077801207302044>
- *Muchomba, F. M. (2019). Sex composition of children and spousal sexual violence in sub-Saharan Africa. *Maternal and Child Health Journal*, 23(8), 1130-1139. <https://doi.org/10.1007/s10995-019-02761-0>
- *Mulawa, M., Kajula, L. J., Yamanis, T. J., Balvanz, P., Kilonzo, M. N., & Maman, S. (2018). Perpetration and victimization of intimate partner violence among young men and women in Dar es Salaam, Tanzania. *Journal of Interpersonal Violence*, 33(16), 2486-2511. <https://doi.org/10.1177/0886260515625910>
- *Murdoch, D. W. (2016). *Male-on-male sexual violence and intimate partner violence victimization & perpetration: Social and behavioral determinants & health implications among South African men* (Publication No. 10290123) (Doctoral dissertation). Emory University. ProQuest Dissertations & Theses Global.
- *Murphy, E. C., Segura, E. R., Lake, J. E., Huerta, L., Perez-Brumer, A. G., Mayer, K. H., & Clark, J. L. (2020). Intimate partner violence against transgender women: Prevalence and correlates in Lima, Peru (2016-2018). *AIDS and Behavior*, 24(6), 1743-1751. <https://doi.org/10.1007/s10461-019-02728-w>
- *Napier, T. R., Howell, K. H., Maye, C. E., Jamison, L. E., Mandell, J. E., & Thurston, I. B. (2023). Demographic factors, personal life experiences, and types of intimate partner violence. *Psychological trauma: Theory, Research, Practice, and Policy*, 15(2), Article 322. <https://doi.org/10.1016/j.chiabu.2022.105995>
- *Navarro-Mantas, L., Velásquez, M. J., Lemus, S. de, & Megías, J. L. (2021). Prevalence and sociodemographic predictors of intimate partner violence against women in El Salvador. *Journal of Interpersonal Violence*, 36(7-8), NP3547-NP3573. <https://doi.org/10.1177/0886260518779065>
- *Naved, R. T. (2013). Sexual violence towards married women in Bangladesh. *Archives of Sexual Behavior*, 42(4), 595-602. <https://doi.org/10.1007/s10508-012-0045-1>
- *Ngo, Q. M., Ramirez, J. I., Stein, S. F., Cunningham, R. M., Chermack, S. T., Singh, V., & Walton, M. A. (2018). Understanding the role of alcohol, anxiety, and trait mindfulness in the perpetration of physical and sexual dating violence in emerging adults. *Violence Against Women*, 24(10), 1166-1186. <https://doi.org/10.1177/1077801218781886>
- *Nouri, R., Nadrian, H., Yari, A., Bakri, G., Ansari, B., & Ghazizadeh, A. (2012). Prevalence and determinants of intimate partner violence against women in Marivan county, Iran. *Journal of Family Violence*, 27(5), 391-399. <https://doi.org/10.1007/s10896-012-9440-6>
- *Ogunbajo, A., Oginni, O. A., Iwuagwu, S., Williams, R., Biello, K., & Mimiaga, M. J. (2022). Experiencing intimate partner violence (IPV) is associated with psychosocial health problems among gay, bisexual, and other men who have sex with men (GBMSM) in Nigeria, Africa. *Journal of Interpersonal Violence*, 37(9-10), NP7394-NP7425. <https://doi.org/10.1177/0886260520966677>
- *Onsomu, E. O., Abuya, B. A., Okech, I. N., Rosen, D. L., Duren-Winfield, V., & Simmons, A. C. (2015). Prevalence and correlates of domestic violence and HIV serostatus among married and formerly married women in Kenya. *Health care for Women International*, 36(2), 205-228. <https://doi.org/10.1080/07399332.2014.943840>
- *Overstreet, N. M., Willie, T. C., Hellmuth, J. C., & Sullivan, T. P. (2015). Psychological intimate partner violence and sexual risk behavior: Examining the role of distinct posttraumatic stress disorder symptoms in the partner violence-sexual risk link. *Women's Health Issues*, 25(1), 73-78. <https://doi.org/10.1016/j.whi.2014.10.005>
- *Palamuleni, M. E. (2019). Prevalence and correlates of domestic violence among currently married women in Malawi. *Gender & Behaviour*, 17(3), 13372-13397. <https://er.lib.k-state.edu/login?url=https://www.proquest.com/scholarly-journals/prevalence-correlates-domestic-violence-among/docview/2445577914/se-2>
- *Pantalone, D. W., Schneider, K. L., Valentine, S. E., & Simoni, J. M. (2012). Investigating partner abuse among HIV-positive men who have sex with men. *AIDS and Behavior*, 16(4), 1031-1043. <https://doi.org/10.1007/s10461-011-0011-2>
- *Pastor-Moreno, G., Ruiz-Pérez, I., Sordo, L., & Henares-Montiel, J. (2022). Frequency, types, and manifestations of partner sexual violence, non-partner sexual violence and sexual harassment: A population study in Spain. *International Journal of Environmental Research and Public Health*, 19(13), Article 8108. <https://doi.org/10.3390/ijerph19138108>
- *Peitzmeier, S. M., Hughto, J. M., Potter, J., Deutsch, M. B., & Reisner, S. L. (2019). Development of a novel tool to assess intimate partner violence against transgender individuals. *Journal of Interpersonal Violence*, 34(11), 2376-2397. <https://doi.org/10.1177/0886260519827660>
- *Peltzer, K., Jones, D., Weiss, S. M., Villar-Loubet, O., & Shikwane, E. (2012). Sexual risk, serostatus and intimate partner violence among couples during pregnancy in rural South Africa. *AIDS and Behavior*, 17(2), 508-516. <https://doi.org/10.1007/s10461-012-0185-2>
- *Peltzer, K., Pengpid, S., McFarlane, J., & Banyini, M. (2013). Mental health consequences of intimate partner violence in Vhembe district, South Africa. *General Hospital Psychiatry*, 35(5), 545-550. <https://doi.org/10.1016/j.genhosppsych.2013.04.001>
- *Pengpid, S., & Peltzer, K. (2014). Sexual assault and other types of intimate partner violence in women with protection orders in Vhembe District, South Africa. *Violence and Victims*, 29(5), 857-871. <https://doi.org/10.1891/0886-6708.VV-D-13-00008>
- *Pengpid, S., Peltzer, K., Laosee, D., & Suthisukon, K. (2018). Intimate partner sexual violence and risk for femicide, suicidality and substance use among women in antenatal care and general out-patients in Thailand. *BioMed Central Women's Health*, 18(1), Article 37. <https://doi.org/10.1186/s12905-018-0526-z>
- *Pittman, D. M., Riedy Rush, C., Hurley, K. B., & Minges, M. L. (2022). Double jeopardy: Intimate partner violence vulnerability among emerging adult women through lenses of race and sexual orientation. *Journal of American College Health*, 70(1), 265-273. <https://doi.org/10.1080/07448481.2020.1740710>
- *Preiser, B., & Assari, S. (2017). Psychological predictors of sexual intimate partner violence against Black and Hispanic women. *Behavioral Sciences*, 8(1), Article 3. <https://doi.org/10.3390/bs8010003>
- *Relyea, M. R., Portnoy, G. A., Combellick, J. L., Brandt, C. A., & Haskell, S. G. (2020). Military sexual trauma and intimate partner violence: Subtypes, associations, and gender differences. *Journal of Family Violence*, 35(4), 349-360. <https://doi.org/10.1007/s10896-019-00079-7>
- Richards, C., Bouman, W. P., Seal, L., Barker, M. J., Nieder, T. O., & T'Sjoen, G. (2016). Non-binary or genderqueer genders. *International Review of Psychiatry (Abingdon, England)*, 28(1), 95-102. <https://doi.org/10.3109/09540261.2015.1106446>
- Rosenthal, R. (1979). The file drawer problem and tolerance for null results. *Psychological Bulletin*, 86(3), 638-641. <http://doi.org/10.1037/0033-2909.86.3.638>
- *Ryan, K. M., Weikel, K., & Sprechini, G. (2008). Gender differences in narcissism and courtship violence in dating couples. *Sex Roles*, 58(11-12), 802-813. <https://doi.org/10.1007/s11199-008-9403-9>
- *Sanawar, S. B., Islam, M. A., Majumder, S., & Misu, F. (2019). Women's empowerment and intimate partner violence in Bangladesh: Investigating the complex relationship. *Journal of Biosocial Science*, 51(2), 188-202. <https://doi.org/10.1017/S0021932018000068>
- *Sanchez, S. E., Islam, S., Zhong, Q. Y., Gelaye, B., & Williams, M. A. (2016). Intimate partner violence is associated with stress-related sleep

- disturbance and poor sleep quality during early pregnancy. *PLoS ONE*, 17(3), Article e0152199. <https://doi.org/10.1371/journal.pone.0152199>
- Scott-Storey, K., O'Donnell, S., Ford-Gilboe, M., Varcoe, C., Wathen, N., Malcolm, J., & Vincent, C. (2023). What about the men? A critical review of men's experiences of intimate partner violence. *Trauma, Violence, & Abuse*, 24(2), 858-872. <https://doi.org/10.1177/15248380211043827>
- *Schultz, P. N. (2002). *Rape in the context of intimate partner violence* (Publication no. 3059178) (Doctoral dissertation). Texas Woman's University. ProQuest Dissertations & Theses Global.
- *Shaikh, M. A. (2022). Prevalence and correlates of intimate partner violence against women in Liberia: Findings from 2019-2020 demographic and health survey. *International Journal of Environmental Research and Public Health*, 19(6), Article 3519. <https://doi.org/10.3390/ijerph19063519>
- *Sharma, A., Kahle, E., Sullivan, S., & Stephenson, R. (2021). Sexual agreements and intimate partner violence among male couples in the US: An analysis of dyadic data. *Archives of Sexual Behavior*, 50(3), 1087-1105. <https://doi.org/10.1007/s10508-020-01783-y>
- *Shorey, R. C., Sherman, A. E., Kivisto, A. J., Elkins, S. R., Rhatigan, D. L., & Moore, T. M. (2011). Gender differences in repression and anxiety among victims of intimate partner violence: The moderating effect of shame proneness. *Journal of Interpersonal Violence*, 26(9), 1834-1850. <https://doi.org/10.1177/0886260510372949>
- *Singh, D., Anandan, A., Narayanan, S., Athirah Daud, N. A., Azman, A., & Vicknasingam, B. (2022). Factors associated with intimate partner violence and barriers to reporting it, among female who use drugs in Malaysia. *Drugs: Education, Prevention and Policy*, 29(5), 614-624. <https://doi.org/10.1080/09687637.2021.1941777>
- *Smith, D. L. (2008). Disability, gender and intimate partner violence: Relationships from the behavioral risk factor surveillance system. *Sexuality and Disability*, 26(1), 15-28. <https://doi.org/10.1007/s11195-007-9064-6>
- *Smith, M., Mitchell, C., & Jin, H. R. (2022). Gender differences in the impact of adolescent maltreatment victimization on subsequent sexual intimate partner violence perpetration. *Journal of Aggression, Maltreatment & Trauma*, 31(10), 1379-1397. <https://doi.org/10.1080/10926771.2021.1894292>
- *Smith, P. H., Thornton, G. E., Devellis, R., Earp, J., & Coker, A. L. (2002). A population-based study of the prevalence and distinctiveness of battering, physical assault, and sexual assault in intimate relationships. *Violence against Women*, 8(10), 1208-1232. <https://doi.org/10.1177/107780120200801004>
- Spencer, C. M., Mendez, M., & Stith, S. M. (2019). The role of income inequality on factors associated with male physical intimate partner violence perpetration: A meta-analysis. *Aggression and Violent Behavior*, 48, 116-123. <https://doi.org/10.1016/j.avb.2019.08.010>
- Spencer, C. M., Rivas-Koehl, M., Astle, S., Toews, M. L., Anders, K. M., & McAllister, P. (2023). Risk markers for male perpetration of sexual assault on college campuses: A meta-analysis. *Trauma, Violence & Abuse*, 24(4), 2486-2497. <https://doi.org/10.1177/15248380221097437>
- Spencer, C. M., Rivas-Koehl, M., Astle, S., Toews, M. L., McAllister, P., & Anders, K. M. (2024). Factors correlated with sexual assault victimization among college students in the United States: A meta-analysis. *Trauma, Violence, & Abuse*, 25(1), 246-259. <https://doi.org/10.1177/15248380221146800>
- Spencer, C. M., Stith, S. M., & Cafferky, B. (2019). Risk markers for physical intimate partner violence victimization: A meta-analysis. *Aggression and Violent Behavior*, 44, 8-17. <https://doi.org/10.1016/j.avb.2018.10.009>
- Spencer, C. M., Stith, S. M., & Cafferky, B. (2022). What puts individuals at risk for physical intimate partner violence perpetration? A meta-analysis examining risk markers for men and women. *Trauma, Violence, & Abuse*, 23(1), 36-51. <https://doi.org/10.1177/1524838020925776>
- Stark, L., Seff, I., Hoover, A., Gordon, R., Ligiero, D., Massetti, G. (2019). Sex and age effects in past-year experiences of violence amongst adolescents in five countries. *PLoS One*, 14(7), Article e0219073. <https://doi.org/10.1371/journal.pone.0219073>
- *Stephenson, R., Sato, K. N., & Finneran, C. (2013). Dyadic, partner, and social network influences on intimate partner violence among male-male couples. *The Western Journal of Emergency Medicine*, 14(4), 316-323. <https://doi.org/10.5811/westjem.2013.2.15623>
- Sterne, J. A., & Egger, M. (2001). Funnel plots for detecting bias in meta-analysis: Guidelines on choice of axis. *Journal of Clinical Epidemiology*, 54(10), 1046-1055. [https://doi.org/10.1016/S0895-4356\(01\)00377-8](https://doi.org/10.1016/S0895-4356(01)00377-8)
- *Stylianou, A. M. (2018). Economic abuse within intimate partner violence: A review of the literature. *Violence and Victims*, 33(1), 3-22. <https://doi.org/10.1891/0886-6708.33.1.3>
- *Sunmola, A. M., Mayungbo, O. A., Ashefor, G. A., & Morakinyo, L. A. (2020). Does relation between women's justification of wife beating and intimate partner violence differ in context of husband's controlling attitudes in Nigeria? *Journal of Family Issues*, 41(1), 85-108. <https://doi.org/10.1177/0192513X19868831>
- *Sunmola, A. M., Mayungbo, O. A., Fayehun, O. A., Opayemi, R. S., & Morakinyo, L. A. (2021). Is women's tendency to negotiate safer sex another opportunity for intimate partner violence in Nigeria? *Journal of Interpersonal Violence*, 36(7-8), NP3624-NP3645. <https://doi.org/10.1177/0886260518779071>
- Sutter, M. E., Rabinovitch, A. E., Trujillo, M. A., Perrin, P. B., Goldberg, L. D., Coston, B. M., & Calton, J. M. (2019). Patterns of intimate partner violence victimization and perpetration among sexual minority women: A latent class analysis. *Violence against Women*, 25(5), 572-592. <https://doi.org/10.1177/1077801218794307>
- *Swiatlo, A. D., Kahn, N. F., & Halpern, C. T. (2020). Intimate partner violence perpetration and victimization among young adult sexual minorities. *Perspectives on Sexual and Reproductive Health*, 52(2), 97-105. <https://doi.org/10.1363/psrh.12138>
- *Tanha, M., Beck, C. J., Figueredo, A. J., & Raghavan, C. (2010). Sex differences in intimate partner violence and the use of coercive control as a motivational factor for intimate partner violence. *Journal of Interpersonal Violence*, 25(10), 1836-1854. <https://doi.org/10.1177/0886260509354501>
- *Tenkorang, E. Y. (2018). Women's autonomy and intimate partner violence in Ghana. *International Perspectives on Sexual and Reproductive Health*, 44(2), 51-61. <https://doi.org/10.1363/44e6118>
- *Testa, M., VanZile-Tamsen, C., & Livingston, J. A. (2007). Prospective prediction of women's sexual victimization by intimate and nonintimate male perpetrators. *Journal of Consulting and Clinical Psychology*, 75(1), 52-60. <https://doi.org/10.1037/0022-006X.75.1.52>
- *Thomas, R. A., & Weston, R. (2020). Exploring the association between hostile attribution bias and intimate partner violence in college students: Romantic relationships and friends with benefits. *Journal of Aggression, Maltreatment & Trauma*, 29(5), 557-576. <https://doi.org/10.1080/10926771.2019.1587561>
- *Tun, T., & Ostergren, P. O. (2020). Spousal violence against women and its association with sociodemographic factors and husbands' controlling behaviour: The findings of Myanmar Demographic and Health Survey (2015-2016). *Global Health Action*, 13(1), Article 1844975. <https://doi.org/10.1080/16549716.2020.1844975>
- Tur-Prats, A. (2021). Unemployment and intimate partner violence: A cultural approach. *Journal of Economic Behavior & Organization*, 185, 27-49. <https://doi.org/10.1016/j.jebo.2021.02.006>
- *Turell, S. C. (2000). A descriptive analysis of same-sex relationship violence for a diverse sample. *Journal of Family Violence*, 15(3), 281-293. <https://doi.org/10.1023/A:1007505619577>
- Turell, S. C., Brown, M., & Herrmann, M. (2018). Disproportionately high: An exploration of intimate partner violence prevalence rates for bisexual people. *Sexual and Relationship Therapy*, 33(1-2), 113-131. <https://doi.org/10.1080/14681994.2017.1347614>
- *Ulibarri, M. D., Salazar, M., Syvertsen, J. L., Bazzi, A. R., Rangel, M. G., Orozco, H. S., & Strathdee, S. A. (2019). Intimate partner violence among female sex workers and their noncommercial male partners in Mexico: A mixed-methods study. *Violence Against Women*, 25(5), 549-571. <https://doi.org/10.1177/1077801218794302>
- *Vakil, M., Nadrian, H., Fathipour, M., Boniadi, F., & Morowatisharifabad, M. A. (2010). Prevalence and determinants of intimate partner violence against women in Kazeroon, Islamic Republic of Iran. *Violence and Victims*, 25(1), 116-127. <https://doi.org/10.1891/0886-6708.25.1.116>
- *Valentine, A., Akobirshoev, I., Mitra, M. (2019). Intimate partner violence among women with disabilities in Uganda. *International Journal of Environmental Research and Public Health*, 16, Article 947. <https://doi.org/10.3390/ijerph16060947>
- *Verschuere, B., van Horn, J., & Buitelaar, N. (2021). The role of control in intimate partner violence: A study in Dutch forensic outpatients. *Journal of Interpersonal Violence*, 36(7-8), 3400-3410. <https://doi.org/10.1177/0886260518775152>
- *Voth Schrag, R. J., Robinson, S. R., & Ravi, K. (2019). Understanding pathways within intimate partner violence: Economic abuse, economic hardship, and mental health. *Journal of Aggression, Maltreatment & Trauma*, 28(2), 222-242. <https://doi.org/10.1080/10926771.2018.1546247>
- Vyas, S., & Heise, L. (2016). How do area-level socioeconomic status and gender norms affect partner violence against women? Evidence from Tanzania. *International Journal of Public Health*, 61(8), 971-980. <https://doi.org/10.1007/s00038-016-0876-y>
- *Waila, J., Lule, H., Lowery Wilson, M., Bärnighausen, T., & Abio, A. (2022). Ugandan men exposed to intimate partner violence: A cross-sectional survey of nationally representative data. *Journal of Prevention*, 43(4), 567-588. <https://doi.org/10.1007/s10935-022-00683-2>
- Walby, S., & Olive, P. (2014). *Estimating the costs of gender-based violence in the European Union: Report*. European Institute for Gender Equality. https://eige.europa.eu/publications-resources/publications/estimating-costs-gender-based-violence-european-union-report?language_content_entity=en
- *Wandera, S. O., Kwagala, B., Ndugga, P., & Kabagenyi, A. (2015). Partners' controlling behaviors and intimate partner sexual violence among married women in Uganda. *BMC Public Health*, 15(1), 214-214. <https://doi.org/10.1186/s12889-015-1564-1>
- *Wei, D., Cao, W., Hou, F., Hao, C., Gu, J., Peng, L., & Li, J. (2020). Multilevel factors associated with perpetration of five types of intimate partner violence among men who have sex with men in China: An ecological model-informed study. *AIDS Care*, 32(12), 1544-1555. <https://doi.org/10.1080/09540120.2020.1734523>
- *Wei, D., Hou, F., Hao, C., Gu, J., Dev, R., Cao, W., Peng, L., Gilmour, S., Wang, K., & Li, J. (2021). Prevalence of intimate partner violence and associated factors among men who have sex with men in China. *Journal*

- of *Interpersonal Violence*, 36(21-22), NP11968-NP11993. <https://doi.org/10.1177/0886260519889935>
- World Health Organization. (2014). *Global Status Report on Violence Prevention 2014*. World Health Organization. <https://www.who.int/publications/i/item/9789241564793>
- *Xu, X., Zheng, L., Xu, T., & He, M. (2022). Intimate partner violence victimization and depressive symptoms in Sichuan, China: Are there gender variations? *Journal of Interpersonal Violence* 37(5-6), NP2538-NP2564. <https://doi.org/10.1177/0886260520944564>
- Yakubovich, A. R., Stöckl, H., Murray, J., Melendez-Torres, G. J., Steinert, J. I., Glavin, C. E. Y., & Humphreys, D. K. (2018). Risk and protective factors for intimate partner violence against women: Systematic review and meta-analyses of prospective–longitudinal studies. *American Journal of Public Health* (1971), 108(7), e1-e11. <https://doi.org/10.2105/AJPH.2018.304428>
- *Yitbarek, K., Woldie, M., & Abraham, G. (2019). Time for action: Intimate partner violence troubles one third of Ethiopian women. *PloS ONE*, 14(5), Article e0216962. <https://doi.org/10.1371/journal.pone.0216962>
- *Yuan, W., & Hesketh, T. (2021). Intimate partner violence and depression in women in China. *Journal of Interpersonal Violence*, 36(21-22), NP12016-NP12040. <https://doi.org/10.1177/0886260519888538>
- *Zablotska, I. B., Gray, R. H., Koenig, M. A., Serwadda, D., Nalugoda, F., Kigozi, G., Sewankambo, N., Lutalo, T., Wabwire Mangen, F., & Wawer, M. (2009). Alcohol use, intimate partner violence, sexual coercion and HIV among women aged 15-24 in Rakai, Uganda. *AIDS and Behavior*, 13(2), 225-233. <https://doi.org/10.1007/s10461-007-9333-5>
- *Zapata-Calvente, A. L., Megías, J. L., Moya, M., & Schoebi, D. (2019). Gender-related ideological and structural macrosocial factors associated with intimate partner violence against European women. *Psychology of Women Quarterly*, 43(3), 317-334. <https://doi.org/10.1177/0361684319839367>
- *Zhang, C., Li, X., Hong, Y., Chen, Y., Liu, W., & Zhou, Y. (2012). Partner violence and HIV risk among female sex workers in China. *AIDS and Behavior*, 16(4), 1020-1030. <https://doi.org/10.1007/s10461-011-9968-0>
- Zinzow, H. M., Resnick, H. S., McCauley, J. L., Amstadter, A. B., Ruggiero, K. J., & Kilpatrick, D. G. (2012). Prevalence and risk of psychiatric disorders as a function of variant rape histories: Results from a national survey of women. *Social Psychiatry and Psychiatric Epidemiology*, 47(6), 893-902. <https://doi.org/10.1007/s00127-011-0397-1>